

brother[®]
at your side

HL-2035

High quality mono laser printing from a compact, stylish machine



- Up to 18ppm mono print speed
- HQ1200dpi print resolution
- 8MB standard memory
- USB 2.0 interface
- Up to 250 sheet paper tray and manual paper feed slot

HL-2035

A low-cost solution to your mono laser printing requirements. The Brother HL-2035 gives you high speed, professional quality prints from a stylish, compact machine.

The Brother HL-2035 is stylishly designed and compact enough to fit onto a shelf or desk. It produces printouts with the speed and quality you would expect from a more expensive machine.



Installation is straightforward – simply plug in the power cable, click through the installation CD and you will be printing minutes later. Compatible with both PC and Apple macintosh systems, the HL-2035 uses a USB connection to ensure connectivity with most modern devices.



The 250 sheet paper tray provides ample capacity and there is also the option of a single sheet manual feed for envelope printing and different media types. With only a low cost toner cartridge and drum to replace you can be confident that this machine offers economical printing.



HL-2035 Technical Specifications

General	
Technology	Electrophotographic
Print Speed A4	Up to 18ppm
First Print Out Time	Less than 10 seconds
Resolution	HQ1200 (2,400 x 600dpi), 600dpi, 300dpi
Processor	SPARCite 96MHz
Memory Capacity	8MB
Interface	Standard Full-Speed USB 2.0
Print Language	GDI
Display	4 LEDs: Toner (Yellow), Drum (Yellow), Error (Red), Go (Blue)
Paper Handling	
Paper Input	Up to 250 sheets 1 sheet manual paper feed slot
Paper Output	Up to 100 sheets (face down)
Media Specifications	
Media Types	Manual Feed Slot - Plain Paper, Bond Paper, Recycled Paper, Envelopes, Labels, and Transparencies Paper Tray Plain Paper, Bond Paper, Recycled Paper, Transparencies (up to 10 sheets)
Media Weights	Manual Feed Slot 60 - 161 g/m ² (16 - 43 lb) Paper Tray 60 - 105 g/m ² (16 - 28 lb)
Media Sizes	Manual Feed Slot Width 69.9 to 215.9 mm, Length 116 to 406.4 mm (Width 2.75" to 8.50", Length 4.57" to 16") Paper Tray - A4, Letter, B5(JIS), B5(ISO), A5, B6, A6, Exe
Printer Driver Software	
Windows®	Windows Vista™, Windows® XP Professional (32 & 64 bit editions) / XP Home Edition, Windows Server 2003® (32 & 64 bit editions), Windows® 2000 Professional Brother Laser Driver for Mac OS® X 10.2.4 or greater
Macintosh®	
Linux	Printer Driver for Linux

Printer Driver Functions	
Printer Driver Features	N-up Printing - Reduce up to 2, 4, 9, 16 or 25 A4 pages to 1 A4 page Poster Printing - Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark Printing - Print documents with predefined text or user-defined messages Quick Print Set-up - Select print options in the driver quickly Manual Duplex - Manually print on both sides of the paper Status Monitor - A function for indicating errors of the printer on a PC
Supplies	
In-box Toner	Approx. 1,000 pages*
Standard Toner	TN-2005 - Approx. 1,500 pages*
Drum	DR-2005 - Approx. 12,000 pages
Dimensions / Weight	
Dimensions (W x D x H)	With carton 475(W) x 454(D) x 360(H) mm Without carton 368(W) x 361(D) x 170.5(H) mm
Weights	With carton 8.4kg, without carton 6.8kg
Others	
Power Consumption	460W printing 80W standby 5W sleep
Noise Level	Sound Pressure (Printing) LpAm= 51 dB (A) (Standby) LpAm= 30 dB (A) Sound Power (Printing) LWAd= 6.7 B (A) (Standby) LWAd= 4.5 B (A)
Ecology	Power Save - Consume less energy when not in use Toner Save - Reduces toner usage
Laser Classification	Class 1 Laser Product (IEC 60825-1:2001)
*Declared yield in accordance with ISO/IEC 19752	



www.brother.co.uk/originals

All Brother mono laser printers come complete with 12 months on-site warranty, upon registration.

For best results always use original Brother consumables to guarantee the best in high performance mono laser printing for your business or home.

Contact:

brother®
at your side

Brother UK Ltd

Audenshaw, Manchester M34 5JD

Tel: 0870 830 4000 (National Rate Call)

Fax: 0870 830 4031

Web-site: www.brother.co.uk

