

IT'S THE BUSINESS.

CLASS LEADING SPECIFICATION, CLASS LEADING COST PER PAGE.



Our most business minded inkjet multi-function centres yet.



Winning Choice For Your Business

Brother's MFC-J2720 brings affordability, multiple functionality and A3 print capability together, giving your business incredible flexibility at outstanding value.



Increase Workspace Efficiency

The MFC-J2720 introduces superior paper handling capabilities so you can enjoy the range of options you need to work at optimal productivity.

Tailored to handle high volume printing, it features dual trays with a 500-sheet combined capacity for paper up to A3 size. This effectively cuts out the hassle of frequent paper reload.

Furthermore, with a multi-purpose tray that handles up to 80 sheets in A4, or 5 sheets in A3, switching between printing envelopes, labels and paper of varied thickness and size has never been easier.

Plus, the 50-sheet automatic document feeder makes copying, scanning and faxing easy and efficient, giving you time to get on with more important tasks.



Multi-Purpose Tray
Up to 5 sheets A3 or 80 sheets A4

A3 Dual Trays
Up to 500-sheet paper capacity

Automatic Document Feeder
Up to 50 sheets

Multiply Productivity

Perfect for your business, the multi-purpose MFC-J2720 packs a myriad of features into a small machine footprint.

It prints up to A3 and boasts automatic 2-sided scanning and faxing up to A4.

With wireless LAN capability, a single machine can be shared amongst multiple users, allowing you to save valuable resources.

You will also benefit from enhanced productivity with innovative features such as Brother's Apps, Mobile Print, WebConnect and Cloud capabilities.

In addition, iPrint&Scan, Airprint, and direct PC-less print allow you to conveniently print without a PC.



A3 Print Capability



Print / Scan / Fax



Brother's Apps



Fax



Direct Print

Declared in accordance with ISO/IEC24711



Wired/Wireless LAN



lobile Printina

Save More With Every Print

Meet your business demand and save on running costs with super high yield cartridges offering 2400° page-yield in black and 1,200° page-yield per colour cartridge.

You may also save more ink with Ink Save Mode, which is ideal for printing draft documents without excessive ink wastage. Plus, an individual ink cartridge system allows you to replace only the colours you need and still print in black even if colour cartridges run out.

Additionally, deliver high impact A3 colour printouts and documents by taking your A3 printing in-house. Last but not least, you may save on paper costs with the automatic 2-sided printing option.



MINCTIONS Print, Scan, Copy, Fax, Direct Photo Photo Photo Autio 2 Sided Phrit, Wired and Wireless Network, Brother's Apps GENERAL Minrary Depthy Dep
Commons Comm
Memory 2,604E Published
Section Sect
Vited Winders Network Vites Sound Flash Work Vites Spead (Fase) Comparable(*) Vites Spead (Fase) Comparable(*) Vites Spead (Fase) Comparable(*) Vites Spead (Fase) Mode (
Cooperation
hits Speed (# asset Comparable)* If the Spead (# asset Mode) Up to 25ppm (mono) and 27ppm (solour) Intel Spead (# asset Mode) Up to 1,200 x 6,000 dpa Ves Ves Ves Nother inney en enternoement) Ves Nother inney enternoement) Ves Nother inney enternoement) Ves Nother inney enternoement) Ves Nother inney enternoement Ves Nother inney entern
Third Spead (Filed Mode) Third Resolution Up to 35ppm (mono) and 27ppm (colour) Third Resolution Up to AV LTR Up to AV LTR Up to AV LTR Available for A3, Ledger, A4, LTR, A6, Photo (102 x 152mm), Indexeard (127 x 20mm), Photo-12 (127 x 20mm), Photo-22
third Freschalism (Up to 1,200 x 6,000 digit ultimorate 2 stellar Printing) (Available for A3, Ledger, A4, LTR, A6, Photo (102 x 152mm), Indexcard (127 x 203mm), Photo-1_(89 x 127mm), Photo-2L (127 x 203mm), Indexcard (127 x 203mm), Photo-1_(89 x 127mm), Photo-2L (127 x 203mm), Photo-1_(89 x 127mm), Photo-1_(89 x 127mm), Photo-2L (127 x 203mm), Photo-1_(89 x 127mm), Photo-2L (127 x 203mm), Photo-1_(89 x 127mm),
Juliana Base Obbit Ranous Copy (See Discontine) Juliana Copy (See Corport Salar) Juliana Copy (See Copy (See Corport Salar) Juliana Copy (See Copy (See Corport Salar) Juliana Copy (See
Available for A3, Ledger, A4, LTR, A6, Photo (102 x 152mm), Indexcard (127 x 203mm), Photo-L (89 x 127mm), Photo-2L (127 x 203mm), Photo-L (89 x 127mm), Photo-2L (127 x 203mm), Photo-L (89 x 127mm), Photo-2L (127 x 203mm), Photo-L (89 x 127mm), Photo-L (89 x 127mm), Photo-L (127 x 203mm), Photo-L (89 x 127mm), Photo-L (89 x 127mm), Photo-L (127 x 203mm),
Schur Erihancement (Casiomise colour output via trother manage enhancement) ix Save Mode Reside Print Brother Print Scan, Al-Print, Google Cloud Print Vess WH-D Dred Yess XOLOUR COPY FUNCTION Resided Copy Resolution Print: Max. 1200x2400 dpi, Scan: Max. 1200x1200 dpi - Saided Copy Reduce 2 or 4 pages and to a single sheet (including ID card copy) relationeral / Reduction Ratio Yess Ye
Interpretation of the process of the
K. Sane Mode Yes
Viet Direct Viet D
Direct ## School Control Copy Function ## School Copy Function
Colour Cory Function Colour Cory Superable Colour Cory Colour Colour Cory Colour Colour Colour Colour Colour Colour Colour Colour Colour Colour Colour Colou
Assimum Copy Size Lip to 12cpm (mono) and 9cpm (colour) Lip to 12cpm (mono) and 9cpm (colour) Dopy Resolution Print: Max. 1200x2400 dpi, Scan: Max. 1200x1200 dpi Lin 1 Copy Reduce 2 or 4 pages onto a single sheet (including IID card copy) Interprenent / Reduction Ratio 25% - 400% in 1% increments lock Copy Yes: Corrects dark borders and skews when copying books from the scanner glass him Paper Copy (bleed-through prevention) Valermark Copy Ves: Corrects dark borders and skews when copying books from the scanner glass him Paper Copy (bleed-through prevention) Valermark Copy Yes: Lip to A4 Said Scan Lip to A4 Said Scan Copical: Up to 2,400 x 2,400 dpi, interpolated: Up to 19,200 x 19,200 dpi From 4 seconds (A4 size, 100 x 100 dpi) Scan Toe Feature COLOUR FAX FUNCTION List Stad Lip to A4, L'TR, LGL (with Automatic Document Feeder) Ves Leaded Fax A4, L'TR, LGL (with Automatic Document Feeder) Ves Lip to 200 pages Lip to 200 pa
topy Speed (Laser Comparable)** opy Resolution Print: Max. 1200x2400 dpi, Scan: Max. 1200x1200 dpi solid Copy Up to A4 / LTR In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Resolution Ratio Selectory Yes Corrects dark borders and skews when copying books from the scanner glass In 1 Copy Resolution Yes Ves Ves Ves Ves Ves Ves Ves Ves Ves V
Print: Max. 1200x2400 dpi, Scan: Max. 1200x1200 dpi sided Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 2 or 4 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 3 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card copy) Reduce 4 pages onto a single sheet (including ID card co
Up to A4 / LTR In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) In 1 Copy Reduce 2 or 4 pages onto a single sheet (including ID card copy) Indergement / Reduction Ratio Seter Yes Ook Copy Yes Ook Copy Yes Yes: Corrects dark borders and skews when copying books from the scanner glass inin Paper Copy (bleed- through prevention) Relemmark Copy Ayes Assert Copy Ayes OLOUR SCAN FUNCTION Seating Size Up to A4 Seided Scan Optical: Up to 2,400 x 2,400 dpi, Interpolated: Up to 19,200 x 19,200 dpi Can Resolution Coan Speed From 4 seconds (A4 size, 100 x 100 dpi) Image, Optical Character Recognition, Email, File, Media Card ** USB Flash Memory Drive, FTP, Email Server*, Network OLOUR FAX FUNCTION Redmum Fax Size A4, LTR, LGL (with Automatic Document Feeder) Seconds To Yes Olodern Transmission** Up to 200 pages Peed Diels To 200 pages Ax Forwarding Yes (88W only)
In 1 Copy Integrant / Reduction Ratio 25% - 400% in 1 % increments oster yes cook Copy Yes: Corrects dark borders and skews when copying books from the scanner glass hin Paper Copy (bleed- through prevention) Yes asse Colour Rymoval Reduction Ratio Yes COLOUR SCAN FUNCTION Readman Scan Size Yes COLOUR SCAN FUNCTION Can Speed Yes COLOUR FAX FUNCTION Can Speed Yes COLOUR FAX FUNCTION Readman Fax Size A4, LTR, LGL (with Automatic Document Feeder) Yes COLOUR FAX FUNCTION Readman Fax Size A4, LTR, LGL (with Automatic Document Feeder) Yes COLOUR FAX FUNCTION Readman Fax Size A4, LTR, LGL (with Automatic Document Feeder) Yes COLOUR FAX FUNCTION Readman Fax Size A4, LTR, LGL (with Automatic Document Feeder) Yes Colour Fax Function Yes Yes Colour Fax Function Yes Yes Yes Yes Yes Yes Yes Ye
relargement / Reduction Ratio coster
ook Copy Yes: Corrects dark borders and skews when copying books from the scanner glass him Paper Copy (bleed-through prevention) Agliermark Copy Ages Agliermark Copy Ages Agouth Function Again Fesolution Can Resolution Can Speed Control Feature Control
Ves: Corrects dark borders and skews when copying books from the scanner glass Yes Ves Ves Ves Ves Ves Ves V
hin Paper Copy (bleed-through prevention) Valermark Copy Valermark Copy Ves Ves Ves Ves Ves Volume Removal Ves Volume Scan Function Ves Volume Scan Function Ver Ves Volume Scan Function Ver
Valermark Copy lase Colour Farmoval Scan Function Identify Scan Function Identify Scan
Assimum Scan Function Assimum Scan Size Sided Scan Scan Size Sided Scan Scan Size Sc
faximum Scan Size Up to A4 Up to A9 A8 From 4 seconds (A4 size, 100 x 100 dpi) Image, Optical Character Recognition, Email, File, Media Card ** USB Flash Memory Drive, FTP, Email Server*, Network **OLOUR FAX FUNCTION** **Leading Fax** **Leading
Serioded Scan Corn Resolution Optical: Up to 2,400 x 2,400 dpi, Interpolated: Up to 19,200 x 19,200 dpi From 4 seconds (A4 size, 100 x 100 dpi) From 4 seconds (A4 size, 100 x 100 dpi) Image, Optical Character Recognition, Email, File, Media Card ** USB Flash Memory Drive, FTP, Email Server*, Network **OLOUR FAX FUNCTION** **Resided Fax* **Resided Fax* **Resided Fax* **Resided Fax* **Interpolated With Automatic Document Feeder) **Interpolated Wit
Corn Resolution Optical: Up to 2,400 x 2,400 dpi, Interpolated: Up to 19,200 x 19,200 dpi From 4 seconds (A4 size, 100 x 100 dpi) From 4 seconds (A4 size, 100 x 100 dpi) Scan 10° Feature USB Flash Memory Drive, FTP, Email Server*, Network COLOUR FAX FUNCTION Restrum Fax Size A4, LTR, LGL (with Automatic Document Feeder) Seded Fax Yes Remory Transmission** Up to 200 pages Poor Dials Up to 200 pages Versioner Flores Florespition*** Up to 200 pages Versioner Florespition*** Up to 200 pages Versioner Florespition*** Versioner Florespition** Ve
From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) From 4 seconds (A4 size, 100 x 100 dpl) Image, Optical Character Recognition, Email, File, Media Card ** USB Flash Memory Drive, FTP, Email Server*, Network From 4 seconds (A4 size, 100 x 100 dpl) Image, Optical Character Recognition, Email, File, Media Card ** Yes Note of Fax From 4 seconds (A4 size, 100 x 100 dpl) Image, Optical Character Recognition, Email, File, Media Card ** Yes Note of Fax From 4 seconds (A4 size, 100 x 100 dpl) Image, Optical Character Recognition, Email, File, Media Card ** Yes Note of Fax From 4 seconds (A4 size, 100 x 100 dpl) Image, Optical Character Recognition, Email, File, Media Card ** Yes Note of Fax From 4 seconds (A4 size, 100 x
Scan To" Feature Image, Optical Character Recognition, Email, File, Media Card ** USB Flash Memory Drive, FTP, Email Server*, Network COLOUR FAX FUNCTION Readmun Fax Size A4, LTR, LGL (with Automatic Document Feeder) -skided Fax Yes Remory Transmission*** Up to 200 pages -peed Dials -proup Dials -proup Dials -proup Flash -p
Scan to Feature: COLOUR FAX FUNCTION Addimum Fax Size Ad, LTR, LGL (with Automatic Document Feeder) Feder Yes Addern 33.6 kbps Atmory Transmission*** Up to 200 pages peed Diets 100x2 numbers * froup Diats Aut of Paper Reception*** Up to 200 pages Yes Aut of Paper Reception*** Yes Addern 45 group Size Yes Aut of Paper Reception*** Yes (B&W only)
A4, LTR, LGL (with Automatic Document Feeder) **Sided Fax Yes **Nodern 33.6 ktps **Memory Transmission*** **peed Dials 100x2 numbers ** **Sorup Dials Up to 200 pages **put of Paper Reception*** **up to 200 pages **up to
Askimum Fax Size A4, LTR, LGL (with Automatic Document Feeder) Stoled Fax Yes Action 33,6 kbps Atternory Tiansmission*** Up to 200 pages Stoled Dials Total Up to 8 groups Up to 200 pages Up to 8 groups Up to 200 pages Yes (B&W only)
Andern 33.6 kbps Memory Transmission*** Up to 200 pages Speed Dials 100x2 numbers * Stroup Dials Up to 6 groups Out of Paper Reception*** Up to 200 pages Yes (B&W only)
Andern 33.6 kbps Aemory Transmission*** Up to 200 pages Speed Dials 100x2 numbers # group Dials Up to 6 groups Jul of Paper Reception*** Up to 200 pages fax Forwarding Yes (B&W only)
Speed Dials 100x2 numbers # Broup Dials Up to 6 groups Dut of Paper Reception*** Up to 200 pages ax Forwarding Yes (B&W only)
Secup Dials Up to 6 groups Dut of Paper Reception*** Eax Forwarding Yes (B&W only)
Out of Paper Reception*** Ex Forwarding Yes (B&W only)
ax Forwarding Yes (B&W only)
Sisplay Fax (Sending/Receiving) Yes
Sending & Receiving* from your PC (USB/Network)
IDDITIONAL FEATURES izother Apps: Outline&Copy, Notescan
krother Apps: Outline & Scan, Outline & Copy, Notescan IRECT PHOTO PRINTING
Media Card Stots Yes #4
1838 Flash Memory Yes
ical restriction with the state of the state
APER HADLING
Standard paper tray: Up to 250 sheets
Lower paper tray: Up to 250 sheets
Multi-purpose tray: Up to 80 sheets (Up to A4/LTR) or 5 sheets A3/LGR/B4/LGL/Folio: Rear bypass tray: Single Sheet
apper Output Up to 50 sheets Up to 50 sheets
eper Corpor. Up to 50 sheets Up to 50 sheets
AS LOD AN LTD EVE DA DE LOU AE AC District 000 of 50 mm (450 C) Individual 100 mm (550 C)
Aper 1 fravillary 2.255 Photo-L(89x127mm/3.5"x5"), Photo-2L(127x178mm/5"x7"), Com-10, DL Envelope, Monarch, C5
(B4, B5 only available for Hong Kong/Taiwan/Korea. A3, LGH, LGL, B4:Photo Paper not applicable)
Paper Handling Stzes A3, LGR, A4, LTR, B4, LGL
(B4 only available for Hong Kong/Taiwan/Korea)
A3, LGR, A4, LTR, EXE, B4, B5, LGL, Folio, A5, A6,
Photo-1400-4 F0
Paper Handling Sizes Multi-Purpose Tray) Photo-L(89x127mm/3,5"x5"), Photo-2L(127x178mm/5"x7")
Com 10 DI Envolono Monorch CE
Corn-10, DL Erwelope, Monarch, CS
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4)
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Media Type (Lower Tray) Plain
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Media Type (Lower Tray) Plain Media Type (Multi-Purpose Tray) Plain, Inkjet
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Media Type (Lower Tray) Plain Media Type (Multi-Purpose Tray) Plain, Inkjet SUPPORTED OS & SOFTWARE Windows: YB / YR w84 / Victor / 7 / 8 / 8 1 / Space 2003 / 2008 / 2012
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Media Type (Lower Tray) Plain Media Type (Multi-Purpose Tray) Plain, Inkjet SUPPORTED OS & SOFTWARE Windows: YB / YR w84 / Victor / 7 / 8 / 8 1 / Space 2003 / 2008 / 2012
Media Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Plain Plain Plain, Inkjet Plain, Inkjet SUPPORTED OS & SOFTWARE Supported Operaling Systems Windows: XP / XP x64 / Vista / 7 / 8 / 8.1 / Server 2003 / 2008 / 2012. Mac: OS X v10.7.5/v10.8.x/v10.9.x
Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) #### Plain
Wedia Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Plain Wedia Type (Lower Tray) Plain Wedia Type (Multi-Purpose Tray) Plain Plai
Algorithms
Wedia Type (Standard Tray) Plain, Inkjet, Glossy (Glossy not applicable to A3/LGR/LGL/B4) Plain Wedia Type (Lower Tray) Plain Plain Wedia Type (Multi-Purpose Tray) SUPPORTED OS & SOFTWARE Supported Operating Systems Windows: XP / XP x64 / Vista / 7 / 8 / 8.1 / Server 2003 / 2008 / 2012. Mac: OS X v10.7.5/v10.8.x/v10.9.x Wetwork Management Tools BRAdmin Professional 3***, Driver DeploymentWizard**, BRAdmin Light *** SUPPLIES

- ^Based on ISO/IEC 24734. For more information, please refer to www.brother.com/rd/printspeed ^*Based on ISO/IEC 24735. For more information, please refer to www.brother.com/rd/printspeed
- Available for download at http://support.brother.com
 Not supported on Mac and Linux. Available for download at http://support.brother.com
 Not supported on Linux. Available for download at http://support.brother.com

- ** Approximate cartridge yield is declared in accordance with ISO/IEC 24711 *** Based on ITU-T Test Chart No 1/MMR

- Based on ITU-TTest Chart No 1/MMR.
 Stores up to 100 address entries. Each entry may have 2 numbers
 Acceptable media cards include Memory Stick Duo, Pro Duo, Micro (need adaptor), SD Memory Card, SDHC Memory Card, SDHC Memory Card, SDHC Memory Card, MultiMedia Card MultiMedia Card Plus, MultiMedia Card Mobile (need adaptor).
 Bioceiving is for Windows® only





Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886





