

IVX E-Class Administrator worksheets

Function 1: System parameters

Important: Before programming, make sure you initialize the system!

F13 — Administrator password

Range: 2–8 digits. Default: 456.

F14 — Set time/date

F141: Set time and date

F142: Automatic time settings

Synchronize with Caller ID

Default: Enabled.

Adjust for Daylight Savings Time

Default: Enabled.

<input type="text"/>
<input type="text"/>

F17 — System speed-dial

(Use the worksheet on the following page.)

F17 — System speed dial

<i>Loc.</i>	<i>Name</i>	<i>Number</i>
600		
601		
602		
603		
604		
605		
606		
607		
608		
609		
610		
611		
612		
613		
614		
615		
616		
617		
618		
619		
620		
621		
622		
623		
624		
625		

(Use a blank sheet for additional speed dial numbers 626–699.)

Function 3 : Extension programming

F32 – Extension feature authorization

Card type	Ext.	Name	Call wait	DND	AA block	Rec.	Ser. ob.	Toll allow	Sys. spd. dl.	Auto page	Ext. fwd.	Fwd. toll	Trunk-trunk	Unif'd msg.
	Default		Y	Y*	N	Y*	N*	Y	Y	N	N	N	N	N
1														
	Ser. ob. list:													
2														
	Ser. ob. list:													
3														
	Ser. ob. list:													
4														
	Ser. ob. list:													
5														
	Ser. ob. list:													
6														
	Ser. ob. list:													
7														
	Ser. ob. list:													
8														
	Ser. ob. list:													
9														
	Ser. ob. list:													
10														
	Ser. ob. list:													
11														
	Ser. ob. list:													
12														
	Ser. ob. list:													

* Does not apply to analog extensions.

Make copies of this sheet for additional extensions.

F55 — Message notification

F551: Station delivery options

Mailbox		Number	Delay	Attempts	Interval	Quiet on	Quiet off
Range	Phone	Up to 24 digits	0–500	0–99	10–1,440	None	None
Range	Pager	Up to 24 digits	0–500	0–99	10–1,440		
Default	Phone	None	0	3	30	None	None
Default	Pager	None	0	3	30		
1	Phone						
	Pager						
2	Phone						
	Pager						
3	Phone						
	Pager						
4	Phone						
	Pager						
5	Phone						
	Pager						
6	Phone						
	Pager						
7	Phone						
	Pager						
8	Phone						
	Pager						
9	Phone						
	Pager						
10	Phone						
	Pager						
11	Phone						
	Pager						
12	Phone						
	Pager						

Make copies for additional mailboxes

F56 — Cascade paging mailboxes

Attempts — Range: 0–99. Default: 0.

Paging interval — Range: 0 (page only once)–1,440. Default: 0.

Mailbox	Option 1			Option 2		
	1st number	Attempts	2nd number	Attempts	3rd number	Paging interval
520						
521						
522						
523						
524						
525						
526						
527						
528						
529						

F57 — Q & A mailboxes

Mailbox	Name	CFWD Day	CFWD Night
Default	MB Number	ID9999	ID9999
490			
491			
492			
493			
494			
495			
496			
497			
498			
499			

Function 6: Recordings

F61 — Re-recordable prompts

Prompt	Type	Default	Re-recorded
530	Busy prompt	<input type="checkbox"/>	<input type="checkbox"/>
531	No answer	<input type="checkbox"/>	<input type="checkbox"/>
532	Hold	<input type="checkbox"/>	<input type="checkbox"/>
534	Q/Z	<input type="checkbox"/>	<input type="checkbox"/>
535	No names matched	<input type="checkbox"/>	<input type="checkbox"/>
537	End of recording	<input type="checkbox"/>	<input type="checkbox"/>
538	ACD queue	<input type="checkbox"/>	<input type="checkbox"/>
539	ACD hold	<input type="checkbox"/>	<input type="checkbox"/>
540	Holiday main greeting	<input type="checkbox"/>	<input type="checkbox"/>

F62 — Record directory names

(Use the worksheet on the following page.)

Prompt for first name/last name

Options: "Select by first name" (default); "Select by last name."

F63 — Message-on hold-programming

F631: MOH source

Range: 590–598. Default: 592

F632: MOH recording

(See *Installation Manual* for instructions.)

F633: MOH volume

Range: 1–12. Default: 6

