


HP Designjet 1050c plus HP Designjet 1055cm plus High productivity network printer for unattended printing



# High volume unattended photo and line printing for large workgroup

HP Designjet 1000 plus Printer Series network printers are designed for CAD and technical departments that value high productivity, unattended printing. HP Designjet 1050c plus and HP Designjet 1055cm plus large-format printers, together with the new HP Multi-roll feeder, deliver unattended printing of ultra-precise black and colour line drawings, high-quality complex 3D renderings and maps at unparalleled speed.



The HP Designjet 1000 plus Printer Series are suitable for:

- Designers specialising in Computer Aided Design (CAD)
- Technical drawing departments
- Engineering research and development offices that require precision diagrams
- Architects and draughting departments
- Geographic information systems requiring accurate map representations

# Achieve real productivity



## Professional print solution for the technical market

### HP Designjet 1050c plus and HP Designjet 1055cm plus with HP Multi-roll feeder

Achieve real unattended printing with HP Designjet 1000 plus Printer Series and its new accessories.

#### High unattendedness—HP Multi-roll feeder

Optional HP Multi-roll feeder enhances media flexibility and unattendedness of HP Designjet 1000 plus Printer Series print solution tremendously. The HP Multi-roll feeder allows 3 different media types to be loaded simultaneously and users can switch effortlessly between the media types. It also allows 300 ft media rolls to be made accessible to your printer.

Together with the ultra long-life, self-cleaning printheads; 350 ml high capacity ink cartridges; built-in HP Jetdirect 610n networking card and extra large memory (up to 7.5 GB for HP Designjet 1055cm plus), the solution is built to meet the needs of high productivity unattended printing operations.

#### High speed

HP Jetexpress technology ensures high-speed printing. The 1 inch printheads and 512 precisely aligned nozzles enable printing of A1 size (2 x 3 ft) colour line drawings at 600 dpi resolution (draft mode) in less than a minute and colour images at 200 ft<sup>2</sup>/hr (fast mode).

- Impressive print speed:
  - -D-size: 45 seconds (Line drawing/Fast mode)\*
- -D-size: 85 seconds (Images/Fast mode)\*

#### **Excellent print quality**

Achieve uncompromising line and image quality. True 600 dpi and 1200 dpi addressable for precise black lines as fine as 0.08 mm with  $\pm 0.2\%$  line accuracy.

Precise ink placement ensures crisp, sharp lines for your map and CAD projects while providing brilliant photoquality colour images. Together with HP 80 ink supplies and HP media, HP has one complete solution for high quality large-format printing solution.

#### Powerful networking capability

Your workflow is kept running smoothly using the new built-in HP Jetdirect 610n networking card and highperformance 7.5 GB hard disk (included with HP Designjet 1055cm plus, 2 GB hard disk optional for the HP Designjet 1050c plus). Simultaneously processes and queues jobs for large workgroup.

#### **Extensive connectivity**

Comes with AutoCAD<sup>®</sup>, Windows<sup>®</sup> and Adobe<sup>®</sup> PostScript<sup>®</sup> drivers for comprehensive connectivity. ZEHRaster for HP software also enable UNIX<sup>®</sup>, Linux<sup>®</sup>, Windows NT<sup>®</sup>/2000 users to print TIFF and JPEG files directly from your printer.

\* Approximate mechanical printing speeds on HP Bright White Inkjet Paper for HP Designjet ColorPro CAD/GA and HP Designjet 1050c/1055cm. On coated paper for other models.



HP Designjet 1055cm plus with optional multi-roll feeder



#### Smart ink-system designed for reduced user-intervention

Modular CMYK ink-system for reduced user-intervention and consumable costs. With the modular design, you only replace the inks that are depleted. Built-in smart chips in HP 80 ink supplies also allow users to monitor ink levels and even notify users when the printheads are wearing out.

350 ml high capacity cartridges and ultra long-life, self-cleaning printheads means longer periods between ink and printheads replacements.

#### Ease-of-use

- Experience effortless network integration and remote production—the HP install network printer wizard makes out-of-the-box installation easy and HP Web Jetadmin and HP Jetdirect 10/100 Base-TX internal print server allows unattended printing capability even from home.
- Technologically-advanced design features make production easier—snap-in ink cartridges, HP Multi-roll
  feeder allows switching between three different media types and/or sizes from a PC, and the ability to
  load new sheets without removing existing rolls.
- Generate creative printed materials—HP ZoomSmart helps automatically reduce or enlarge documents. Custom colour correction wizard for Windows NT<sup>®</sup>/2000 and PANTONE<sup>®</sup> certification (HP Designjet 1055cm plus only) helps maintain quality output.

#### Media flexibility

HP Designjet 1050c plus/1055cm plus supports a wide range of HP media including bond, coated, photographic and technical media.

#### Bond & coated paper

HP Basic Bond Paper, 24/42-inch, 150 ft—C7919A/22A HP Bright White Inkjet Bond Paper, 24-inch, 150 ft—C6035A HP Coated Paper, 24/36/42-inch, 150 ft—C6019B/20B/C6567B HP Coated Paper (extra long), 36-inch, 300 ft—C6980A HP Heavyweight Coated Paper, 24/36-inch, 100 ft—C6029C/30C HP Basic Coated Paper, 24-inch, 150 ft—C8281A HP Basic Heavyweight Coated Paper, 24/36-inch, 100 ft—C7923A/24A

### Technical paper

HP Matte Film, 24/36-inch, 120 ft—51642A/42B HP Clear Film, 24/36-inch, 75 ft—C3876A/75A HP Natural Tracing Paper\*\*, 24/36-inch, 150 ft—C3869A/68A HP Translucent Bond, 24/36-inch, 150 ft—C3860A/59A HP Vellum, 24/36-inch, 150 ft—C3862A/61A

#### Photographic paper

HP Basic Photo Satin, 24/36-inch, 100 ft—C8310A/11A HP Productivity Photo Semi-gloss, 36-inch, 100 ft—Q1943A HP Basic High-gloss Photo Paper, 24/36-inch, 100 ft—C8315A/16A HP Productivity Photo Gloss<sup>\*</sup>, 36-inch, 100 ft—Q1938A

\*Not compatible when used with optional HP Multi-roll feeder \*\* Line drawing only.

# HP Designjet 1050c plus/1055cm plus at-a-glance

**1.** Network ready fast HP Jetdirect 610n print server.

**2.** Optimised production printing system prints a A1-size colour line drawing in 45 seconds.

**3.** Easy to follow LCD control panel.

**4.** User replaceable modular 4 colour CMYK ink delivery system.

**5.** Large capacity ink cartridges for longer time between replacement.

**6.** Optional HP Multi-roll feeder comes with a convenient basket to store printouts.

7. Optional HP Multi-roll feeder for enhanced media flexibility and unattendedness.







HP Designjet 1055cm plus shown with optional multi-roll feeder

## Selecting the right HP Designjet 1000 plus Printer Series





#### HP Designjet 1050c plus

#### Internal features

- CMYK ink-system prints up to 1200 dpi for monochrome line drawing and 600 dpi for colour images
- 64 MB onboard RAM
- Network ready, fast HP Jetdirect 610n print server card supports TCP/IP, IPX/SPX, DLC/LLC and EtherTalk
- AutoCAD<sup>®</sup>, Windows<sup>®</sup>, Adobe<sup>®</sup> PostScript<sup>®</sup> drivers (optional on HP Designjet 1050c plus)

#### **Optional accessories**

- Multi-roll feeder
- Take-up reel
- Adobe PostScript<sup>®</sup> 3<sup>™</sup> drivers
- 2 GB internal HDD

#### HP Designjet 1055cm plus

#### Internal features

- CMYK ink-system prints up to 1200 dpi for monochrome line drawing and 600 dpi for colour images
- 64 MB onboard RAM
- Network ready, fast HP Jetdirect 610n print server card supports TCP/IP, IPX/SPX, DLC/LLC and EtherTalk
- AutoCAD<sup>®</sup>, Windows<sup>®</sup>, Adobe<sup>®</sup> PostScript<sup>®</sup> drivers (optional on HP Designjet 1050c plus)
- Adobe PostScript<sup>®</sup> 3<sup>™</sup> capability
- 7.5 GB internal HDD

#### **Optional accessories**

- Multi-roll feeder
- Take-up reel

| General features      | Optional 2 GB hard disk d<br>HP Jetdirect 610n networki<br>HP Jetexpress <sup>∞</sup> technology   | rive (HP Designjet 1055cm plus)<br>Irive (HP Designjet 1050c plus)<br>ng card<br>lard for HP Designjet 1055cm plus, optional for HP Designjet 1050c plus)<br>esignjet 1055cm plus)  |
|-----------------------|--|---|
| Print performance     | 45 seconds—draft mode (li<br>200 ft²/hour—fast mode (c   |   |
| Print resolution      | 1200 dpi addressable (line<br>0.003 minimum line width<br>Line accuracy: ±0.2% of th   | e drawings) 600 dpi (colour images)<br>e specified page length  |
| Paper handling        | Dual path for sheet and rol<br>Sheet:<br>Roll:   | I feed, automatic cutter; optional: multi-roll feeder; take-up reel<br>width: 8.3 inches to 36 inches<br>width: 24 inches, 36 inches, length: up to 300 feet  |
| Memory                | <b>9</b> 1   | 64 MB standard; 256 MB, 2 GB HD maximum<br>: 64 MB, 7.5 GB HD standard; 256 MB, 7.5 GB HD maximum   |
| Connectivity          | GL/2, HP·GL, HP RTL, CALS<br>Drivers: Microsoft Windows<br>4.0); 14 (Windows 95, 98<br>accepted from UNIX, Linux<br>PostScript® (HP Designjet 10   | 2, HP-GL, HP RTL, CALSG4 (HP Designjet 1050c plus); Adobe PostScript® 3 <sup>∞</sup> , HP-<br>SG4 (HP Designjet 1055cm plus)<br>s <sup>®</sup> : 95, 98, NT 4.0, 2000, Me; AutoCAD Releases:13 (Windows 95, NT 3.51,<br>b, NT 4.0, Me); AutoCAD® 2000 (Windows 98, Me); TIFF and JPEG files<br>and Microsoft Windows® NT via ZEHRaster plus software;<br>D55cm): Microsoft Windows 95, 98, NT 4.0, 2000; Macintosh® v8.1—9.1<br>Ilel (ECP) IEEE 1284 compliant; HP Jetdirect EIO10/100Base-TX; optional HP<br>ars |
| Environmental ranges  | Operating temperature:<br>Storage temperature:<br>Operating humidity:  | 59 to 95° F (15 to 35° C)<br>-40 to 158° F (-40 to 70° C)<br>20 to 80% RH non-condensing  |
| Power requirements    | 100 to 240 volts (±10%); 5   | 50 to 60 Hz   |
| Power consumption     | Standby mode:<br>Maximum:  | <40 watts maximum<br>200 watts  |
| Acoustics             | Printing:<br>Idle:   | pressure: 62 dB (A) power: 6.8 Bels (A)<br>pressure: <38 dB (A) power: 5.3 Bels (A)   |
| Dimension (h x d x w) | 61 x 27 x 51 inches (1549  | 9.40 x 685.80 x 1295.40 mm)   |
| Weight                | 154 lb (69.85 kg)  |   |
| Product certification | Safety: IEC 950 compliant. Safety UL listed, EU LVD & EN 60950 compliant. NEMKO approved. Certified<br>by Canada CSA, Mexico NOM-1-NYCE, Czech republic EZU, Singapore PSB, Russia GOST, Poland PCBC,<br>China CCIB. Electromagnetic compatibility: Compliant with WU EMC directive, USA FCC Rules, Australia<br>ACA, New Zealand MoC, Canada DoC and China requirements for Class B Products (Class A when<br>connected to LANs). Japan VCCI registered. Korea RRL and Taiwan BCIQ Certified. |   |
| System requirements   | PC Windows® compatible (   | Win 95, 98, NT 4.0, 2000, Me), Macintosh® with Mac OS 8.1 or above  |
| Warranty              | slightly different support de  | nd service for your printer by HP trained technicians. Some countries may have<br>livery.<br>1-year warranty independent of printer warranty status.  |

\*A1-size: 24ls × 36ls; app. speed on HP Coated Paper (colour images).

## HP Designjet 1050c plus/1055cm plus Technical Specifications

For more information, visit our website at http://www.designjet.hp.com, or call your local Hewlett-Packard sales office or your nearest HP authorised dealer:

#### HP customer information centre (for product information)

| Australia   | 132347                       |
|-------------|------------------------------|
| China       | +86 21 2898 2255             |
| Hong Kong   | +852 800 938 833             |
| India       | +9628 123 123 (Del/Mum/Blr)  |
|             | +1600 444 999 (other cities) |
| Indonesia   | +0800 1111 222               |
| Korea       | +080 703 0700                |
| Malaysia    | +1800 88 4848                |
| New Zealand | +0800 733 547                |
| Philippines | +1800 1331 4488              |
| Singapore   | +1800 278 8100               |
| Taiwan      | +0800 236 686                |
| Thailand    | +662 353 9000                |
| Vietnam     | +848 823 6215                |
|             |                              |

For the following countries, please fax your queries to: +65 6 275 6707 • Bangladesh • Brunei • Cambodia • Pakistan • Sri Lanka

| HP customer care cent | re (for post-sales service) |
|-----------------------|-----------------------------|
| Australia             | +61 3 8877 8000             |
| China                 | +86 10 6564 5959            |
| Hong Kong             | +852 800 96 7729            |
| India                 | +91 11 682 6035             |
| Indonesia             | +62 21 350 3408             |
| Korea                 | +82 2 3270 0700             |
| Malaysia              | +60 3 2695 2566             |
| New Zealand           | +64 9 356 6640              |
| Philippines           | +63 2 867 3551              |
| Singapore             | +65 6 272 5300              |
| Taiwan                | +886 2 2717 0055            |
| Thailand              | +662 353 9000               |
| Vietnam               | +848 823 4530               |

For more information on HP Care Pack, visit: http://www.hp.com/apac/hpservices/carepack HP Instant Support Professional Edition (ISPE), visit: http://instantsupport.asiapac.hp.com

For specific warranty details, please check with your local country resellers.



© 2003 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Printed in Singapore, 5980-7172EEP, 09/2003

#### Ordering information

| Hp Designjet<br>1050c plus | Hp Designjet<br>1055cm plus<br>+multi-roll feede   | Hp Designjet<br>1050c plus<br>r  | Hp Designjet<br>1055cm plus<br>+multi-roll feeder  |
|----------------------------|--|--|--|
| 36-inch<br>C6074B          | 36-inch<br>C6075B  | 36-inch<br>+C2394A   | 36-inch<br>+C2394A   |
| •                          | •  | •  | •  |
| s •                        | •  | •  | •  |
| •                          | •  | •  | •  |
|                            | •  |  | •  |
| vs •                       | •  | •  | •  |
|                            |  |  |  |
|                            |  |  |  |
|                            |  |  |  |
| •                          | •  | •  | •  |
| х •                        | •  | •  | •  |
| •                          | •  | •  | •  |
|                            |  |  |  |
|                            | 1050c plus<br>36-inch<br>C6074B<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>• | 1055cc plus 1055cm plus<br>+multi-roll feede<br>36-inch 36-inch<br>C6075B<br>• • •<br>• •<br>• •<br>• •<br>• •<br>• •<br>• •<br>• •<br>• • | 1050c plus         1055cm plus         1050c plus           36-inch         36-inch         36-inch           36-inch         C6075B         +C2394A           •         •         •           s         •         •           •         •         •           s         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         •           •         •         • |

#### ulti-roll fe

| Power cords        |   |   |
|--------------------|---|---|
| User documentation | • | • |

# Options & C2394A plus Printers Series) HP Multi-roll feeder (for C6074A—HP Designjet 1050c plus Printer) HP Multi-roll teeder (for C 60/5/ 1055cm plus Printer) 64 MB DIMM memory module 128 MB DIMM memory module GB hard disk HP Postscript kit 36-inch spindle 36-inch take-up reel

| HP 80 ink supplies: |                |
|---------------------|----------------|
| C4871A              | Black, 350 ml. |
| C4846A              | Cyan, 350 ml   |
| C4847A              | Magenta, 350   |
| C4848A              | Yellow, 350 ml |
| C4872A              | Cyan, 175 ml   |
| C4874A              | Magenta, 175   |
| C4873A              | Yellow, 175 ml |
|                     |                |

HP printheads ar C4820A

| ) ink cart | ridges, printheads and printhead |
|------------|----------------------------------|
| 0A         | Black, 350 ml                    |
| 1A         | Cyan, 350 ml                     |
|            | Magenta, 350 ml                  |
|            | Yellow, 350 ml                   |
|            |                                  |

#### and sup

| 4518A/E | Installation and network configuration serv |
|---------|---|
| 5655A/E | 3-year next-day on-site support             |
| 4582A/E | 3 year next-day on-site maintenance servi   |
|         |   |

Printing material For a complete list of printing material and selection numbers please refer to the HP Web-site at w.hp.com/go/designjet and select "printing materials"

