

# HP LaserJet 3390/3392 All-in-One



Improve productivity for essential office tasks with the high-performance HP LaserJet 3390 All-in-One series. This networked, flatbed device delivers fast, professional quality black-and-white printing, faxing, colour scanning and digital copying.



HP LaserJet 3390  
All-in-One



HP LaserJet 3392  
All-in-One

**Ideal for small workteams and highly productive personal users in small and medium-sized businesses and corporate environments, the HP LaserJet 3390 All-in-One series is a reliable, high performance device that increases efficiency by delivering fast speeds and laser quality output.**

**Be more productive with fast, professional performance and network connectivity.**

- Enjoy fast, efficient printing and copying at up to 21 ppm
- No waiting as Instant-on Technology delivers a first printed page out in only 8.5 seconds
- Save money and resources with standard two-sided printing and copying and make paperwork more manageable
- Business class faxing with up to 33.6 Kbps, with delayed faxing and fax to and from PC\*
- Reliably share this all-in-one device among several users with 10/100 Ethernet networking, or connect directly with fast Hi-Speed USB connection.

**Accomplish more with this versatile, flexible all-in-one that supports all essential business needs.**

- Convenient multi-tasking ability lets you fax, scan or copy while print jobs are in progress
- Minimise intervention with up to 500-sheet input capacity\*\*
- Easily staple documents with the handy, electric stapler\*\*\*
- Handle complex jobs fast with up to 128 MB standard memory, expandable to 192 MB\*\*\*\* to boost your performance
- Additional 4MB of fax memory for storing up to 250 pages
- Unattended faxing, scanning and copying of multiple page documents with the 50-sheet automatic document feeder.

**Create high quality business communications that are easy to produce with this reliable all-in-one.**

- Produce crisp, sharp documents with true 1200 dpi print resolution
- Easy and brilliant quality scanning with up to 19200 dpi enhanced resolution
- Convert documents to digital format or for direct email transmission at the touch of a front panel button
- Integrated design for uncomplicated operation and intuitive use
- Genuine HP print cartridges and HP Smart technology\*\*\*\*\* achieve consistent print quality and ease of use
- Proven HP LaserJet reliability and a 10,000 page per month duty cycle.

\*Fax to and from PC available with Microsoft® Windows® 2000 and XP.

\*\*Second 250-sheet input tray is standard with LaserJet 3392 All-in-One and optional with HP LaserJet 3390 All-in-One.

\*\*\*The electric stapler is included on the HP LaserJet 3392 All-in-One.

\*\*\*\*HP LaserJet 3390 All-in-One comes with 64 MB standard memory; HP LaserJet 3392 All-in-One with 128 MB standard memory.

\*\*\*\*\*Using genuine HP supplies ensures availability of all HP printing features.

## Technical specifications

<b>Print technology</b>	Monochrome Laser			
<b>Print speed</b>	Up to 21 ppm. First page out black: 8.5 sec. for printing (Instant-on Technology virtually eliminating warm-up time - from cold or warm start). (Exact speed varies depending on the system configuration, software program and document complexity)			
<b>Processor</b>	264 MHz. Motorola Coldfire® v 4e			
<b>Memory</b>	HP LaserJet 3390: 64 MB; HP LaserJet 3392: 128 MB; Expandable to 192 MB through 1 DIMM slot			
<b>Print</b>	Quality	Up to 1200 x 1200 dpi		
	Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation		
	Economical printing	Economode print quality setting prints text with less toner, two-sided printing and N-up printing (multiple pages per sheet)		
	Typefaces/fonts	PCL: 45 scalable TrueType fonts, PostScript: 35 scalable TrueType fonts		
	Duty cycle	Up to 10,000 pages per month		
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm		
	Advanced Features	Automatic duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types		
<b>Fax</b>	Modem speed	33.6 Kbps (3 sec per page)		
	Telecom compliance	Telecom: TBR-21: 1998, EG 201 121: 1998, FCC Part 68		
	Fax memory	Up to 250 pages (4 MB)		
	Fax resolution	Standard: 203 x 98 dpi. Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi (no halftone). Photo: 300 x 300 dpi (halftone enabled)		
	Quick dialing	Up to 120 (119 group dials). 16 one-touch front panel keys		
<b>Scan</b>	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 1200 dpi. Enhanced: Up to 19200 x 19200 dpi		
	Bit depth	24 bit		
	Grey scale levels	256		
	Twain version	TWAIN compatible Version 1.9		
	Scannable area	Minimum media size: No minimum. Maximum media size: 216 x 381 mm		
	Margins for scanned items	Left: 4 mm. Top: 4 mm. Right: 4 mm. Bottom: 4 mm		
	Advanced Features	Intuitive device front control panel with Scan-to button for direct walk-up scan to folder and e-mail capability (pre-configuration of walk-up capability required via software provided); Software; 50-page automatic document feeder		
<b>Copy</b>	Copy speed	Up to 21 ppm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 99 copies (with automatic collation)		
	Reduce/enlarge	25 to 400% (1% increments)		
	Advanced Features	Simplex or duplex copies, up to 99 multiple copies, collation, reduce/enlarge from 25 to 400% (with page size presets), fit to page, 2 or 4 pages to 1 page, contrast (lighter/darker), resolution (copy quality)		
<b>Media handling</b>	<b>Input:</b>	<b>Capacity</b>	<b>Weight</b>	<b>Size</b>
	Tray 1	1 sheet	60 to 163 g/m <sup>2</sup>	A4, A5, B5, C5, C6, DL (ISO), postcard, 76 x 127 to 216 x 356 mm
	Tray 2	Up to 250 sheets	60 to 105 g/m <sup>2</sup>	A4, A5, B5, 147 x 211 to 216 x 356 mm
	Tray 3 (optional with HP LaserJet 3390)	Up to 250 sheets	60 to 105 g/m <sup>2</sup>	A4, A5, B5, 147 x 211 to 216 x 356 mm
	ADF	Up to 50 sheets	60 to 90 g/m <sup>2</sup>	A4, A5, 127 x 127 to 216 x 381 mm
	<b>Output:</b>	Up to 125 sheets. Up to 10 envelopes. Up to 10 transparencies		
	<b>Duplex printing:</b>	Automatic (standard)		
<b>Media types</b>	Paper (bond, colour, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock			
<b>Interface and connectivity</b>	Built-in 10/100 wired Ethernet network connectivity with 1 RJ-45 port; Hi-Speed USB (compatible with USB 2.0 specifications) port			
<b>Operating systems compatibility</b>	Microsoft® Windows® 2000, XP (full solution); 98 SE, Me, XP-64, Server 2003, Linux (print driver only); Mac OS X v 10.3 and higher (full solution). Optional: Windows® XP 64-bit, UNIX, Linux, OS/2 (print functionality available via Web) Latest drivers available from <a href="http://www.hp.com">http://www.hp.com</a>			
<b>Network operating systems compatibility</b>	Via built-in 10/100 Ethernet connection (supports TCP/IP-based solutions): Microsoft® Windows NT® 4.0, 98, Me, 2000, XP, XP-64, Server 2003; Novell® NetWare NDPS services via TCP/IP only on 3.2, 4.2, 5.x, 6.x; HP Gateway (TCP/IP raw only) and Novell LPD gateway; Apple Mac OS X v 10.3 and later; Bonjour discovery supported; Red Hat Linux 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris™ 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM AIX 3.2.5 and later; MPE-iX; Citrix MetaFrame; Windows Terminal Services			
<b>Minimum system requirements</b>	Microsoft® Windows® 98 SE, Me, Server 2003: any Pentium® II processor or greater, 64 MB RAM, 10 MB hard disk space, SVGA 800 x 600 with 16-bit colour display (print driver only); Windows 2000, XP: any Pentium II processor (Pentium III or greater recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or greater (full install), CD-ROM drive, Hi-Speed USB port or network port. Mac OS X v 10.3.x; G3, G4 or G5 processor, 32 MB RAM, 30 MB disk space, Hi-Speed USB port or network port, CD-ROM drive			

## Technical specifications

<b>Standard software</b>	HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scan drivers, HP LaserJet Fax, HP Fax Setup Wizard, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh)
<b>Control panel</b>	Intuitive control panel with 2-line, 16-character back lit display, alphanumeric buttons, menu and cancel controls, fax, copy and scan controls, speed-dial keys
<b>Power</b>	Requirements: Input voltage 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.6 amp. Consumption: 0 watt (off), 11 watts (Powersave), 15 watts (Standby), 355 watts (active)
<b>Dimensions (w x d x h)</b>	Out of package: HP LaserJet 3390: 495 x 400 x 470 mm; HP LaserJet 3392: 495 x 400 x 560 mm. Packaged: HP LaserJet 3390: 600 x 500 x 605 mm; HP LaserJet 3392: 600 x 500 x 795 mm
<b>Weight</b>	Out of package: HP LaserJet 3390: 17.8 kg; HP LaserJet 3392: 21.8 kg. Packaged: HP LaserJet 3390: 23.2 kg; HP LaserJet 3392: 26.7 kg
<b>Printer management</b>	HP Toolbox FX, HP Web Jetadmin, HP Embedded Web Server (Mac only)
<b>Operating environment</b>	Operating temperature: 15 to 32.5° C. recommended operating temperature: 15 to 32.5° C. operating humidity: 10 to 80% RH. operating humidity recommended: 10 to 80% RH. storage temperature: -20 to 40° C. storage humidity: 0 to 95% RH. noise level per ISO 9296: sound power: LwAd 6.3 B(A). sound pressure: LpAm 49 dB(A)
<b>Certifications</b>	CISPR 22: 1993+A1+A2/EN 55022: 1994+A1+A2 - Class B; EN 61000-3-2: 1995/A14: 2000; EN 61000-3-3: 1995+A1; EN 55024: 1998+A1+A2; FCC Title 47 CFR, Part 15 Class B 2/ICES-003, Issue 3; GB9254-1998. Regulatory standards: IEC 60950-1: 2001/EN 60950-1: 2001+A11; IEC 60825-1: 1993 + A1:1997 + A2: 2001/EN 60825-1: 1994 + A1: 2002 + A2: 2001 (Class 1 Laser/LED Product); GB4943-1995. ENERGY STAR: Yes
<b>Warranty</b>	One-year limited warranty

## Ordering information

<b>Q6500A</b>	HP LaserJet 3390 All-in-One, HP LaserJet Q5949A Black Print Cartridge, getting started guide, support flyer, CDs containing device software and electronic user's guide, Readiris PRO text recognition software, ADF input support, power cord(s), phone cord(s), one year limited warranty
<b>Q6501A</b>	HP LaserJet 3392 All-in-One includes same as Q6500A plus 250-sheet media input tray

### Accessories

<b>Q7707A</b>	HP 32 MB SDRAM DIMM
<b>Q7708A</b>	HP 64 MB SDRAM DIMM
<b>Q7709A</b>	HP 128 MB SDRAM DIMM
<b>Q7556A</b>	HP 250-sheet Paper Input Tray
<b>Q7432A</b>	HP Staple Cartridge Pack (2 cartridges at 1,500 staples each)

### Supplies

<b>Q5949A</b>	HP LaserJet Q5949A Black Print Cartridge with Smart Printing Technology 2,500 standard pages in accordance with ISO/IEC 19752
<b>Q5949X</b>	HP LaserJet Q5949X Black Print Cartridge with Smart Printing Technology 6,000 standard pages in accordance with ISO/IEC 19752

### Connectivity

<b>C6518A</b>	HP USB Cable, 2m
<b>C6520A</b>	HP USB Cable, 3m

### Service & support

<b>H5471A/E</b>	Next Business Day Exchange, 3 years
<b>UD910E</b>	Next Business Day Exchange, 2 years
<b>H3110A/E</b>	Installation & Network Configuration

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

<http://www.hp.com>



© 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 02/06 4AA0-3300EEE

