



# HP LaserJet Enterprise M609 series

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.<sup>1</sup>

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.<sup>1</sup>



HP LaserJet Enterprise M609dh



HP LaserJet Enterprise M609dn



HP LaserJet Enterprise M609x

## The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>2</sup>
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

## High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.<sup>4</sup>
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>5</sup>
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

## More. Pages, Performance, and Protection.<sup>6</sup>

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.<sup>6</sup>
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.<sup>7</sup>

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>

<sup>2</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

<sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

<sup>5</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in [energystar.gov](http://energystar.gov) versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>

<sup>6</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

<sup>7</sup> HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

<sup>8</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

## Product walkaround

1. Hardware Integration Pocket<sup>3</sup>
2. 4.3-inch (10.9 cm) color touchscreen control panel
3. Easy-access USB port<sup>1</sup>
4. 100-sheet multipurpose tray 1
5. Front door access to toner cartridges
6. 550-sheet input tray 2
7. 550-sheet input tray 3
8. 500-sheet output bin
9. Automatic two-sided printing
10. Wi-Fi Direct<sup>5</sup>/Bluetooth Low Energy<sup>8</sup>
11. Host USB port
12. Gigabit Ethernet network port
13. Hi-Speed USB 2.0 printing port
14. Slot for cable-type security lock



## Series at a glance



Model	HP LaserJet Enterprise M609dh	HP LaserJet Enterprise M609dn	HP LaserJet Enterprise M609x
Part number	K0Q20A	K0Q21A	K0Q22A
Print speeds (letter/A4) <sup>2</sup>	Up to 75/71 ppm		
Control panel	4.3-inch (10.9 cm) color touchscreen	2.7-inch (6.9 cm) LCD with keypad	4.3-inch (10.9 cm) color touchscreen
Automatic two-sided printing		√	
Hardware Integration Pocket <sup>3</sup>		√	
100-sheet tray 1, 550-sheet tray 2		√	
550-sheet paper feeder <sup>4</sup>	Optional (up to four)		√ (plus up to three optional)
2,100-sheet paper feeder <sup>4</sup>		Optional	
Envelope feeder		Optional (up to two)	
Printer stand		Optional	
5-bin stapler/stacker/mailbox with job offset		Optional	
Direct mobile printing	Optional wireless direct <sup>5</sup> /NFC <sup>6</sup>		Embedded Wi-Fi Direct <sup>5</sup> /Bluetooth Low Energy <sup>8</sup>
Wireless networking		Optional <sup>7</sup>	
HP High-Performance Secure Hard Disk	√	Optional	

<sup>1</sup> An administrator must enable the easy-access USB port before use.

<sup>2</sup> Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>3</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. HIP not available on the HP LaserJet Enterprise M607n and M608n.

<sup>4</sup> All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M608x and M609x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M607n, M607dn, M608n, M608dn, and M609dn models can add up to four additional 550-sheet paper feeders and the optional 2,100-sheet paper feeder.

<sup>5</sup> Wi-Fi Direct printing is embedded in the HP LaserJet Enterprise M608x and M609x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.

<sup>6</sup> Touch-to-print capability is optional for all models (except M608x and M609x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting)

<sup>7</sup> All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

<sup>8</sup> Bluetooth Low Energy is standard only on the HP LaserJet Enterprise M608x and M609x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license.

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc):

## Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.<sup>1</sup>

With speeds up to 75 pages per minute,<sup>3</sup> fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.<sup>6</sup>

### Accessories

- 2MU47A** HP Accessibility Assistant
- 2NR03A** HP 1 GB 90-pin DDR3 DIMM
- 2NR12A** HP Removable Hard Drive Enclosure
- 3JN69A** HP Jetdirect 3100w BLE/NFC/Wireless Accessory
- 5EL03A** HP TAA Version Secure Hard Disk Drive
- B5L28A** HP Internal USB Ports
- B5L29A** HP High-Performance Secure Hard Disk
- CC543B** HP SmartCard NIPRNet Solution for US Government
- F5S62A** HP Trusted Platform Module Accessory
- G6W84A** HP 1 GB 90-pin DDR3 DIMM
- J8030A** HP Jetdirect 3000w NFC/Wireless Accessory
- J8031A** HP Jetdirect 2900nw Print Server
- J8J96A** HP Staple Cartridge Refill
- L0H17A** HP LaserJet 550-sheet Paper Tray
- L0H18A** HP LaserJet 2100 Sheet Paper Tray
- L0H19A** HP LaserJet Printer Stand
- L0H20A** HP LaserJet Stapler/Stacker/Mailbox
- L0H21A** HP LaserJet Envelope Feeder
- L0H22A** HP LaserJet Extension Tray Cover

### Supplies

- HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A
- HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 yield) CF237X
- HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield) **CF237Y**

### Services

- U9MZ2E** - HP 5 year Next Business Day HW Support w/Defective Media Retention
- U9MZ5E** - HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention
- U9MZ8E** - HP 5 year 4 hour 13x5 HW Support w/Defective Media Retention
- U9NA1E** - HP 5 year Next Business Day Call To Repair HW Support w/DMR
- U9NA4E** - HP 5 year Next Business Day Exchange Service
- U9NB5PE** - HP 2 year Post Warranty Next Business Day Hardware Support w/DMR
- U9NB7PE** - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR
- U9NB8PE** - HP 1 year Post Warranty 4 hour 13x5 Hardware Support w/DMR
- U9NCOPE** - HP 2 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR
- U9NC1PE** - HP 1 year Post Warranty Next Business Day Exchange Service



<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>

<sup>2</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

<sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

<sup>5</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in [energystar.gov](http://energystar.gov) versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>

<sup>6</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

<sup>7</sup> HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

<sup>8</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

## HP LaserJet Enterprise M609 series

Model	HP LaserJet Enterprise M609dh	HP LaserJet Enterprise M609dn	HP LaserJet Enterprise M609x
Product number	K0Q20A	K0Q21A	K0Q22A
Print	Print speed <sup>7,9,8</sup> <b>Letter:</b> Up to 75 ppm Black; <b>2-sided:</b> Up to 62 ppm Black; <b>First page out:</b> As fast as 5.3 sec Black; <b>Print speed (Landscape, A5):</b> Up to 115 ppm Black <b>Black (best)</b> Up to 1200 x 1200 dpi; <b>Black (normal)</b> FastRes 1200; <b>Black (fine lines)</b> Up to 1200 x 1200 dpi Print resolution Laser; <b>Print resolution technology:</b> FastRes 1200; 1200 x 1200 dpi Print technology 1 (black) Print cartridges number Standard print languages HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ Printer smart software features Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB Printer management / HP SureSupply HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver/ Yes		
Connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11 b/g/n; 1 Bluetooth low energy I/O		
Mobile printing capability <sup>6</sup>	HP ePrint; Apple AirPrint™; Mopria-certified HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified		
Memory	<b>Standard:</b> 512 MB; <b>Maximum:</b> 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed		
Processor speed	1.2 GHz / <b>Storage</b> <sup>10</sup> : 4 GB EMMC / <b>Hard disk:</b> Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); FIPS 140 certified 1.2 GHz / <b>Storage</b> <sup>10</sup> : 4 GB EMMC / <b>Hard disk:</b> Optional, 500 GB (with accessory B5L29A)		
Duty cycle (monthly)	<b>Letter:</b> Up to 300,000 pages; <b>Recommended monthly page volume:</b> 5000 to 30,000		
Paper handling	100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets Standard 100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder; Up to 1200 sheets Standard		
Input	100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets Standard		
Output	<b>Standard:</b> 500 sheet output bin; Up to 500 sheets Standard; <b>Transparencies:</b> 200		
Duplex Options	Automatic (standard)		
Envelope feeder	Yes, 75 (optional)		
Standard paper trays	2 3		
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope		
Media weight	Automatic Duplexer: 16 to 32 lb Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain) Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain)		
Media sizes	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes (No. 9, No. 10, Monarch (7 3/4)), 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes (No. 9, No. 10, Monarch (7 3/4)), 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal; feeder 3: letter, executive, legal		
Media Sizes Custom	feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in; feeder 3: 3.90 x 5.83 to 8.5 x 14 in		
Dimensions (w x d x h)	17 x 18.3 x 15 in; <b>Maximum:</b> 17 x 40.9 x 17.8 in 17 x 18.3 x 19.9 in; <b>Maximum:</b> 17 x 43.3 x 22.9 in		
Weight	47.7 lbs 58 lbs		
What's in the box <sup>2</sup>	HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord		
Replacement cartridges <sup>5</sup>	HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A; HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 yield) CF237X; HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield) CF237Y		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.		
Energy efficiency compliance	ENERGY STAR <sup>®</sup> qualified		
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button Rotating 2.7-in QVGA LCD (color graphics) with 24 key pad. 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) 2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.hp.com or OS App Source for printer software), Online user manuals		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono Standard Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and iPDFs Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible operating systems	Android, Linux Boss (6.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 7.5 for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit, Citrix XenDesktop 5.6 for Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 7.5 for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit, Citrix XenDesktop 5.6 for Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6/7.0/7.5 for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit, Novell NetWare 6.5/SP8 Novell Clients www.novell.com/print, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/print, Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)		
Minimum system requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Power <sup>11</sup>	<b>Power supply type:</b> Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power supply required:</b> 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz); 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz); 6 A; <b>Power consumption:</b> 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); <b>Typical electricity consumption (TEC) number:</b> ES: 3.173 kWh/week; BA: 2.948 kWh/week; <b>Best technical electricity consumption (TEC):</b> 3.229 kWh/week		
Acoustics	<b>Acoustic power emissions:</b> 7.1 B(A) <b>Acoustic power emissions:</b> 7.0 B(A)		
Operating environment	<b>Operating temperature range:</b> 15 to 27°C; <b>Recommended operating temperature:</b> 59 to 80.6°F; <b>Storage temperature range:</b> -4 to 104°F; <b>Operating humidity range:</b> 30 to 70% RH; <b>Recommended operating humidity range:</b> 10 to 90% RH		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g. badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WPA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPs; Certificates; Access Control List; Data; Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSI/TLS (HTTPs); Encrypted Credentials; Device; Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs		

<sup>1</sup> EPEAT<sup>®</sup> registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>2</sup> Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsplies

<sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

<sup>5</sup> Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsplies.

<sup>6</sup> May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support

<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>8</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

<sup>9</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>10</sup> eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase - Job Data; Secure Erase - Disk

<sup>11</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

To learn more, visit [hp.com](http://hp.com)

© Copyright 2017-2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranties accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

