HP LaserJet Pro MFP M227 series



Stay a step ahead.

Get more pages, performance, and protection¹ from an HP LaserJet Pro MFP powered by JetIntelligence Toner cartridges. Set a faster pace for your business: Print two-sided documents, plus scan, copy, fax¹⁵, and manage to help maximize efficiency.



HP LaserJet Pro MFP M227d



HP Laser let Pro MFP M227sdn

Fast speeds, low energy use

- Print, scan, copy, and fax¹⁵ with a compact multifunction laser printer that fits into tight workspaces.
- Print at the pace of business with fast two-sided printing—first pages are ready in as fast as 6.4 seconds.⁶
- Help save energy with HP Auto-On/Auto-Off Technology.⁷
- Tackle tasks and scan to email, USB, and network folders from the 2.7-inch (6.9 cm) color touchscreen.^{8,15}

Mobile printing made simple

- Get simple setup, and print and scan from your phone, with the HP Smart app.²
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology—no network needed.^{3,4,15}
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology—no network needed.^{3,4}
- Send jobs from your smartphone, tablet, or PC to any company printer, using Google Cloud Print™ 2.0.⁵

Strong HP security

- This printer helps detect, stop, and give notifications of security breaches.
- This printer includes write-protected memory that helps prevent malware intrusion.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.¹²

HP quality—print after print

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Don't be fooled by alternatives that mimic Original HP. Innovative anti-fraud technology can help ensure you're getting the quality you paid for.
- Print over 2x more pages than standard cartridges, using optional Original HP high-yield toner cartridges.¹³
- Get more pages than ever before with page maximizer technology,¹ and track remaining pages to help ensure you get what you paid for using print gauge technology.¹⁴

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices















Top Features

Help save energy without slowing down. This quiet, efficient HP LaserJet Pro MFP quickly prints, scans, copies, and faxes while helping to keep energy costs low, so you save time and resources.

Mobile printing is easier than ever with HP. Print with minimal steps from a broad range of mobile devices—smartphones, tablets, and notebooks.

Easily manage devices and settings to help make printing more efficient and secure. Gain visibility into office printing and monitor supplies status and other settings with HP Web Jetadmin.

Count on consistent results—Original HP Toner cartridges with JetIntelligence are designed to work flawlessly with this HP LaserJet Pro. Anti-fraud authentication helps protect your business from frustrating quality issues and costly reprints.

Product

G3Q78A HP LaserJet Pro MFP M227d
G3Q74A HP LaserJet Pro MFP M227sdn

Replacement cartridges

CF230A HP 30A Black Original LaserJet Toner Cartridge (1,600 pages)

CF230X HP 30X High Yield Black Original LaserJet Toner Cartridge (3,500 pages)

CF232A HP 32A Original LaserJet Imaging Drum (23,000 pages)

HP Care Packs

UH757E HP 3 year Care Pack w/Next Day Exchange for LaserJet Printers

UH773E HP 3 year Care Pack w/Onsite Exchange for LaserJet Printers

UH769E HP 3 year Care Pack w/Pickup and Return Support for LaserJet Printers
 UH764E HP 3 year Care Pack w/Return to Depot Support for LaserJet Printers

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Pro MFP M227 series

	LIDI	LID Lassylet Day MED M227-da
Model Product number	HP LaserJet Pro MFP M227d G3Q78A	HP LaserJet Pro MFP M227sdn G3074A
Functions	Print, copy, scan	
Print	Ta	
Duplex print options Print speed ¹⁴	Automatic (standard) Black (A4, normal): Up to 28 ppm; Black (letter, normal): Up to 30 ppm; Black (A4, duplex): Up to	18 inm: Black (letter dunley): Un to 18 inm
First page out ¹⁶	Black (A4, ready): As fast as 6.6 sec; Black (A4, sleep): As fast as 7.9 sec	Black (A4, ready): As fast as 6.4 sec; Black (A4, sleep): As fast as 7.7 sec
Print technology	Laser	
Print resolution Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi, HP FastRes 1200 (1200 dpi quality); Black (fine lines) Up to 1200 x 1200 dpi	
technology	HP FastRes 1200, HP ProRes 1200	
Print cartridges number	1 Black	
Standard print	PCL5c: PCL6: PS: PCLmS: PDF: URF: PWG	
languages Printer management	HP Printer Assistant (UDC): HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager	
Scan	arran 13 France (3550m) (365) in Juny (365)	
Scan technology	Type: Flatbed; Technology: CIS	Type: ADF, Flatbed; Technology: CIS
Scan speed ¹⁸	Normal (A4): No	Normal (A4): Up to 15 ppm Enhanced: No; Hardware: Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color,
Scan resolution	Hardware: Up to 1200 x 1200 dpi (color and mono, flatbed); Optical: Up to 1200 dpi (color and mono, flatbed)	flatbed); Up to 1200 x 1200 dpi (mono, flatbed); Optical: Up to 300 dpi (color and mono, ADF); Up to 600 dpi (color, flatbed); Up to 1200 dpi (mono, flatbed)
Digital sending standard features		No
Color scanning	Yes	
Scan Size	Flatbed: 215.9 x 297 mm; ADF: No	Flatbed: 215.9 x 297 mm; ADF: 215.9 x 355.6 mm
Scan input modes Scan file format	Scanning via HP LaserJet Software Scan or TWAIN-compliant or WIA-compliant software JPG, RAW (BMP), PNG, TIFF, PDF	
Copy	יוים און אין אין אין אין אין אין אין אין אין אי	
Copier smart software	No	Automatic Document Feeding
features	Black (A4): As fast as 8.8 sec; Black (A4, sleep): As fast as 8.8 sec; Black (letter): As fast as 8.7	Black (A4): As fast as 6.5 sec; Black (A4, sleep): As fast as 7.8 sec; Black (letter): As fast as 6.3
First copy out	sec; Black (letter, sleep): As fast as 8.7 sec	sec; Black (letter, sleep): As fast as 7.7 sec
Copy resolution Max no of copies	Black (text and graphics): 600 x 600 dpi Up to 99 copies	
Copier resize	25 to 400%	
Copier settings	Number of Copies; Lighter/Darker; Optimize; Paper; Multi-Page Copy; Collation; Draft Mode	
Fax	Lo. 10	Tu-
Fax speed Fax memory	No / No Fax memory (A4): No; Fax memory (letter): No	No
Fax resolution	Black (standard): No; Black and white (fine): No; Black photo grayscale: No	Black (best): No
Fax Features	Auto fax reduction supported: No; Auto-redialing: No; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: No; Junk barrier supported: No; Maximum speed dialing numbers: No; PC interface supported: No; Fax polling supported: No	
Fax smart software	Speed didning frameers. No, 1 emeriace supported. No, 1 dx polling supported. No	No
features Connectivity		NO .
Standard connectivity	1 Hi-Speed USB 2.0	1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX
Mobile printing	No	HP ePrint; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0
capability Network ready	No	Standard (built-in Ethernet)
Wireless capability	No	
Network capabilities	No	10/100 Ethernet
Memory Processor speed	Standard: 256 MB; Maximum: 256 MB 800 MHz	
Duty cycle (monthly) ¹²	Up to 30,000 pages; Recommended monthly page volume ¹³ : 250 to 2500	
Paper handling		
Input Output	250-sheet input tray, 10-sheet priority tray 150-sheet output tray	
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards	
Media weight	60 to 163 g/m²	
Media Sizes Custom Dimensions (w x d x	76 x 127 to 216 x 356 mm	
h) ⁴	403 x 407.4 x 263.1 mm	403 x 407.4 x 311.5 mm
Weight What's in the box ²	8.64 kg HP Laser Jet Pro MFP M227d; HP Black Laser Jet Toner Cartridge ~1600 pages; HP Laser Jet Imaqing Drum ~23,000 pages; Power cord; USB cable (AP); Getting started quide; Set up poster;	9.4 kg HP LaserJet Pro MFP M227sdn; HP Black LaserJet Toner Cartridge ~1600 pages; HP LaserJet Imaging Drum ~23,000 pages; Power cord; USB cable (AP); Getting started guide; Set up poster;
What's in the box	Support flyer; Warranty documents (CN, Indo, AU, Mex, BR, AG); Printer documentation and software on CD-ROM; Errata declaration (some countries) For Windows OS: HD Software Installer HD Software Uninestaller (exclude Winds) HD PCI 6 Printer	Support flyer; Warranty documents (CN, Indo, AU, Mex, BR, AG); Printer documentation and software on CD-ROM; Errata declaration (some countries) r Driver, HP Device Experience (DXP), HP Connected, Device Setup & Software, HP Printer Assistant,
Software included	HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application, HP Fax Driver (4:1 bundle only), HP Fax Application (4:1 bundle only), For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for Laser Jet Software)	
Warranty features	One year limited warranty	
Systems		
Systems Compatible operating systems ¹⁹	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer	8 Apple OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet
	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or disk space, CD-ROM/DVD drive or lotternet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB Available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard > SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 prer 8;
Compatible operating systems ¹⁹ Minimum system requirements	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 81, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or disk space, CD-ROM/DVD drive or Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet CO	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierra(v10.12), OS X Posemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 2 SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1
Compatible operating systems 19 Minimum system requirements Security management	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or lotterent connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection.	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 5 P3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; ret required; USB
Compatible operating systems ¹⁹ Minimum system	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 1. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 1. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 1. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer 1. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet CD-ROM/DVD drive or Internet Connection, USB port, Internet CD-ROM/DVD drive or Internet CD-ROM/DVD drive or Internet CD-ROM/DVD drive or Internet CD-ROM/DVD	3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS Sierra(v10.12), OS X H Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 2 PSP or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 prer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 81, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or disk space, CD-ROM/DVD drive or MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available True (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer 8. Windows XI MB available True Type fonts 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention).	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierra(v10.12), OS X FL Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 2 SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; met required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or disk space, CD-ROM/DVD drive or Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available True (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer 8. Windows XI MB available True Type fonts 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention).	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierral(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard PSP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention).
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet CD-ROM/DVD drive or Internet CD	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X H Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 5953 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; met required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explorer XI MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet CD Local Available hard disk space, CD-ROM/DVD drive or Internet CD Local Available hard disk space, CD-ROM/DVD drive or Internet CD Local Available hard disk space, CD-ROM/DVD drive or Internet CD-ROM/DVD drive or Internet CD-ROM/DVD	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X H Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 5953 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; met required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹ Yes
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer No. 2 Saciable TrueType fonts 2. Line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). 2-line LCD CECP1 No Power supply type: Internat; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/-Power consumptions: 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.8 watts (kM)/Week; ES: 0.926 kWh/Week	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X H Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 5959 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; met required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(0K, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹ Yes 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.3A; Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number 8: BA: 0.941
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer Nac. Apple OS X Sierra (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Sierra (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Sierra (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Sierra (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Sierra (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.11), OS X Yosemite (v10.11), OS X Yosemite (v10.11); 1 GB HD; Internet Explorer Nac. Apple OS X Yosemite (v10.11), OS X Yos	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X H Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 595 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹ Yes 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage; 220 to 240 VAC (+/-10%), 60 Hz/50 Hz, 3.3A; Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number ⁶ : BA: 0.941 Acoustic power emissions: 6.6 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (active, printing): 52 dB(A); Acoustic pressure
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or notes space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer No 84 scalable TrueType fonts 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). 2-line LCD CECP¹ No Power supply type: Internal; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/-Power consumptions; 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.8 watts (kMh/Week; ES: 0.926 kWh/Week Acoustic power emissions: 6.5 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 1.6 dB(A) Operating temperature range: 15 to 32.5°C; Recommended operating temperature: 17.5 to 25°C; Recommended operating t	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 595 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹ Yes 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.3A; Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number ⁶ : BA: 0.941 Acoustic power emissions: 6.6 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (featy): 16 dB(A)
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power Acoustics Environmental ranges Safety approvals and	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer No. 84 scalable TrueType fonts 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). 2-line LCD CECP1 No Power supply type: Internal; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/-Power consumptions: 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.8 watts (with/Week; ES: 0.926 kWh/Week ACOustic power emissions: 6.5 B(A) (printing at 28 ppm); ACOustic power emissions (ready): 2.8 B(A); ACoustic pressure emissions bystander (ready): 16 dB(A) Operating temperature range: 15 to 32.5°C; Recommended operating temperature: 17.5 to 25° Recommended operating humidity range: 30 to 70% RH IEC 60950-1:2005 +A1:2009+A1:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS x Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard 595 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP ¹ Yes 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.3A; Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number ⁶ : BA: 0.941 Acoustic power emissions: 6.6 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (featy): 16 dB(A)
Compatible operating systems 19 Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power Acoustics Environmental ranges	space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP: available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.ht PC:Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XI MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explore MB available hard disk space, CD-ROM/DVD drive or Internet Connection, USB port, Internet Explore No. 2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). 2-line LCD CECP ¹ No Power supply type: Internat; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/-Power consumption ⁵ : 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.8 watts (kWh/Week; ES: 0.926 kWh/Week Acoustic power emissions: 5.5 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (active, printing): 52 dB(A); Acoustic pressure emissions bystander (active, pr	8 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB 8 Apple OS X Sierral(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet ml). Unix (For more information, see http://www.hp.com/go/unixmodelscripts) Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard PSP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 orer 8; net required; USB Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change 2-line LCD: 2-line LCD text display; Buttons(0K, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention). ENERGY STAR® qualified; CECP1 Yes 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.3A; Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number ⁶ : BA: 0.941 Acoustic power emissions: 6.6 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (active, printing): 52 dB(A); Acoustic pressure emissions bystander (active, printing): 52 dB(A); Acoustic pressure emissions bystander (active, printing): 10 to 80% RH;

Footnotes

- ¹ Based on ISO/IEC 19752 cartridge yields for HP 30A Black Original LaserJet Toner Cartridges compared with HP 83A Black Original LaserJet Toner Cartridges, and HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 83X High Yield Black Original LaserJet Toner Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies
- ² Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at http://support.hp.com/us-en/document/c03561640. For details on local printing requirements see http://hp.com/go/mobileprinting.
- ³ Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see http://www.hp.com/go/nfcprinting
- ⁴ Feature is supported on select printers. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®
- Requires Google Cloud Print™ registration and Google account. Learn more at http://www.hp.com/go/mobileprinting
- ⁶ Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at http://www.hp.com/go/printerclaims
- ⁷ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings
- ⁸ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- ⁹ App or software and HP ePrint account registration also may be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting ¹⁰ For details on local printing requirements see http://hp.com/go/mobile printing.
- 11 Not all HP Web Jetadmin features are supported on the HP Laser Jet Pro MFP M227. HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
- 12 Based on HP internal research on competitor offerings (Device Security Comparison 1/2015) and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Lab, 2/2015. Requires separate purchase. For details, see http://www.hp.com/go/securitymanager
- 13 Comparison based on ISO 24711 cartridge yields for HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 30A Black Original LaserJet Toner Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

 14 As compared with cartridge gauges for HP predecessor products
- ¹⁵ Feature is applicable to M227fdw only.

Technical specifications disclaimers

- 1 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ² HP 30A Original Black LaserJet Toner Cartridge (~1600 pages), HP 32A Original LaserJet Imaging Drum (~23,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- ³ Dimensions vary as per configuration
- ⁴ Dimensions vary as per configuration
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of
- ⁷ Based on the BA TEC method with the following possible exceptions; 1 minute or less sleep delay setting. Wi-Fi disabled.
- B Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 10 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit http://www.hp.com/go/SureSupply; only available with Original HP supplies; Internet access required.
- 11 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 12 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 13 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty
- period.

 14 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- document complexity
- 15 Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.



