

Lexmark C530dn



LEXMARKTM

Lexmark C530dn

The Lexmark C530dn network-ready color laser printer with duplex standard, a 375 MHz processor and 128MB of memory prints at up to 24 ppm black or up to 22 ppm color.



Lexmark C530dn

In the Box

Lexmark C530dn

- Lexmark C530dn
- 1,500-page Cyan, Magenta, Yellow and Black Return Program Starter Toner Cartridges¹
- Photoconductor Units Installed
- Power Cord
- Publications CD
- Automatic two-sided printing
- Drivers, MarkVision and Utilities CD

Product Specifications

Part Number	US/Canada: 34C0150
Product Class	Small workgroup color laser printer, calibrated for PANTONE™ solid color simulation
Speed	Black: Up to 24 ppm; Color: Up to 22 ppm
Time to First Page	Black: As fast as 10.5 seconds; Color: As fast as 11 seconds
Print Resolution	4800 Color Quality, 1200 x 1200 dpi
Processor	375 MHz
Memory (std./max.)	128MB/640MB
Connectivity*	
Standard	Ethernet, USB
Optional	Wireless, Gigabit Ethernet
Printer Languages	PostScript 3 and PCL 6 emulations, PPDS Migration Tool
Direct Print Formats	PDF 1.5
Fonts*	PCL: 89 scalable, 2 bitmapped (includes OCR-A, OCR-B and Code 3 of 9 bar codes); PostScript: 91; PPDS: 39 scalable, 5 bitmapped
Operating Systems*	Windows, Linux, UNIX, Mac, NetWare, and O/S 400
Acoustics	51 dBA printing; 31 dBA idle
Size (WxDxH)	17.3 in. x 16.1 in. x 19 in. (440 mm x 406 mm x 484 mm)
Weight	57 lb. (29 kg)
Duty Cycle	Up to 65,000 pages per month (Maximum one-time monthly usage)

Media Specifications


Paper Capacity (sheets)	
Standard	Input: 350 (250 + 100); Output: 250
Maximum	Input: 350 (250 + 100); Output: 250
Paper Sources	
Standard	Input: 2; Output: 1
Maximum	Input: 2; Output: 1
Media Information	
Types	Plain paper, recycled paper, glossy paper, paper labels, card stock, transparencies, envelopes
Size	Letter, legal, A4, A5, JIS B5, executive, statement, folio, universal (3 x 4.88 in. to 8.5 x 14 in.), envelopes (7 3/4, 9, 10, DL, C5, B5), other (4.125 x 8.27 in. to 8.5 x 14 in.)
Weight	Plain paper: 16 to 58 lb. (60 to 218 g/m ²); Card stock: Up to 90 lb. Index (163 g/m ²)

Shipping Dimensions

Lexmark C530dn
 Size: 21.8 x 24.9 x 22.4
 Weight: 67.5 lb.

Part Numbers

Supplies	4,000-page Black Return Program Toner Cartridge ¹	C5220KS
	3,000-page Cyan Return Program Toner Cartridge ¹	C5220CS
	3,000-page Magenta Return Program Toner Cartridge ¹	C5220MS
	3,000-page Yellow Return Program Toner Cartridge ¹	C5220YS
	4,000-page Black Toner Cartridge ¹	C5222KS
	3,000-page Cyan Toner Cartridge ¹	C5222CS
	3,000-page Magenta Toner Cartridge ¹	C5222MS
	3,000-page Yellow Toner Cartridge ¹	C5222YS
	1,500-page Black Return Program Toner Cartridge ¹	C5200KS
	1,500-page Cyan Return Program Toner Cartridge ¹	C5200CS
	1,500-page Magenta Return Program Toner Cartridge ¹	C5200MS
	1,500-page Yellow Return Program Toner Cartridge ¹	C5200YS
	1,500-page Black Toner Cartridge ¹	C5202KS
	1,500-page Cyan Toner Cartridge ¹	C5202CS
	1,500-page Magenta Toner Cartridge ¹	C5202MS
	1,500-page Yellow Toner Cartridge ¹	C5202YS
	Photoconductor Unit (up to 20,000 pages) ²	C53030X
	Photoconductor Unit Multi-pack	C53034X
	Waste Toner Box (up to 25,000 pages) ²	C52025X
	Transfer Belt Maintenance Kit	40X3572
115v Fuser Maintenance Kit	40X3569	
Memory Options	128MB SDRAM	13N1523
	256MB SDRAM	13N1524
	512MB SDRAM	13N1526
	32MB Flash Card	1021208
	64MB Flash Card	1021209
Warranty*	1-year Onsite Repair	Base
	1-year Onsite Repair extended warranty	2348617
	2-year Onsite Repair extended warranty	2348618
	3-year Onsite Repair extended warranty	2348619



- 250-sheet Drawer (standard)
- 100-sheet Multipurpose feeder (standard)

¹ Yield is standard pages as listed in accordance with ISO/IEC 19798.

² Actual number of pages or images will vary depending on individual customer usage.

Additional Part Numbers

Solutions	Korean Font Card	1021240
	Simplified Chinese Font Card	1021241
	Traditional Chinese Font Card	1021242
	Japanese Font Card	1021243
Connectivity	External Print Servers	
	Lexmark MarkNet™ N7000e Fast Ethernet - 1 port ¹	14T0230
	Lexmark MarkNet N7020e Gigabit Ethernet - 4 port ¹	14T0220
	Lexmark N4000e Print Server ¹	14T0030
	Wireless Print Adapters	
802.11g Print Adapter	1010042	
Lexmark N4050e 802.11g Print Server ¹	14T0145	
Cables	6-foot USB Cable	1021294
Media	Professional Color Laser Transparency (letter)	12A8240
	Soft Gloss Paper (letter)	12A5950

Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2006 Lexmark International, Inc. All rights reserved.

71K1603



¹ Requires USB Connection