

Lexmark C720 Color Printer



Photo-quality



Up to 24 ppm mono, 6 ppm full color, 12 ppm 2-color highlight mode

15 second time to first page in monochrome and 22.5 second time to first page in color

2400 image quality for fast photo-realistic printing

Standard PostScript 3 and PCL 6 emulations provide compatibility with all major operating systems

LEXMARK[™]

Lexmark

C720



Lexmark C720(n)



Lexmark C720dn

Outstanding performance

Up to 24 pages per minute black printing and 6 pages per minute color

High performance 266 MHz, 64-Bit RISC processor

Photographic print quality

2400 image quality

Photo enhancement technology and automatic color correction

Low operating cost

Competitive cost-per-page for color and black printing

Toner-saver mode provides toner savings up to 20%

Easy setup and integration

MarkVision™ Professional for real-time, web-based management

Compatible with most network operating systems

Intuitive, easy-to-use workstation printer drivers—share common interface with monochrome family of products

Solutions

Add fax/scan/copy capabilities with the inclusion of a Lexmark multifunction (MFP) option

Web and direct printing (PDF, HTML and various image formats) with the optional ImageQuick™ SIMM

The high-performance, photo-quality color laser printer for mid-volume workgroups.

	Lexmark C720, C720n, C720dn
Part Number	US 15W0003 (C720), 15W0004 (C720n), 15W0005 (C720dn) Canada 15W0012 (C720), 15W0013 (C720n), 15W0014 (C720dn)
Technology	Color electrophotographic laser
Speed Black Color	Up to 24 ppm Up to 6 ppm
Resolution	2400 image quality, 600 x 600 dpi, Photo Enhancement Technology
Time to First Page Black Color	15 seconds 22.5 seconds
Processor	266MHz MIPS 64-bit RISC
Memory (std./max.)	32MB/384MB (C720) 64MB/384MB (C720n) 128MB/384MB (C720dn)
Connectivity	High-speed bidirectional parallel IEEE 1284 standard; One internal solutions port; MarkNet™ N2000 with 10/100BaseTX Ethernet standard on C720n and C720dn; Optional MarkNet X2000 Series External Print Servers and MarkNet N2000 Series Internal Print Servers; Optional USB/Parallel Adapter, Optional Tri-Port Adapter (RS232/422, LocalTalk; Infrared), Coax/Twinax Adapter for SCS
Operating Systems	Microsoft Windows XP, 2000, Me, 98, 95, NT 4.0, Linux, UNIX and Mac OS For a complete list, visit www.lexmark.com
Compatibility	PostScript 3, PCL 5 with color and PCL 6 emulations; Optional ImageQuick™ SIMM
Fonts	156 scalable PostScript fonts; 84 scalable PCL fonts; 2 bitmapped fonts; 83 symbol sets
Paper Capacity Standard (in/out) Maximum (in/out)	750/250 2,250/1,250
Paper Options	250-sheet input tray (standard), 250-sheet output bin, optional 500-sheet drawer, optional duplex unit, legal supported only with optional 250-sheet legal tray
Paper Sources Standard (in/out) Maximum (in/out)	1/1 2/1
Media Types	Plain paper, cardstock, transparencies, envelopes, glossy paper, and paper labels
Media Sizes	Letter, A4, legal, executive, envelopes (#9, COM 10, DL, C5, B5)
Media Weights	Plain paper: 16 to 28 lb (60-105 g/m ²) Card stock: up to 100 lb tag (up to 164 g/m ²)
Size/Weight	C720: 19.7" x 20.5" x 16.1" (W x D x H) (500 mm x 520 mm x 410 mm) 74 lb (33.6 kg) C720n: 19.7" x 20.5" x 16.1" (W x D x H) (500 mm x 520 mm x 410 mm) 74 lb (33.6 kg) C720dn: 19.7" x 23.8" x 23.8" (W x D x H) (500 mm x 605 mm x 605 mm) 125 lb (56.6 kg)
Acoustics	51 dBA printing; 45 dBA idle
Supplies*	Ships with: 3,000-page Cyan, Magenta, and Yellow Starter Toner Cartridges 5,000-page Black Starter Toner Cartridge Optional supplies: 7,200-page Cyan, Magenta and Yellow Toner Cartridges 12,000-page Black Toner Cartridge
Duty Cycle	Up to 35,000 pages per month
Warranty	1-year LexOnSite™

*Yield is based on approximately 5% coverage

Order Information Chart

Part No.	UPC	Description
United States		
15W0003	7-34646-30003-2	Lexmark C720
15W0004	7-34646-30004-9	Lexmark C720n
15W0005	7-34646-30005-6	Lexmark C720dn
Canada		
15W0012	7-34646-30012-4	Lexmark C720
15W0013	7-34646-30013-1	Lexmark C720n
15W0014	7-34646-30014-8	Lexmark C720dn
SUPPLIES		
Print Cartridges¹		
15W0900	7-34646-20448-4	7,200-page Cyan Cartridge
15W0901	7-34646-20449-1	7,200-page Magenta Cartridge
15W0902	7-34646-20450-7	7,200-page Yellow Cartridge
15W0903	7-34646-20451-4	12,000-page Black Cartridge
Other Supplies		
15W0904	7-34646-20452-1	Photodeveloper Kit
15W0905	7-34646-20453-8	Fuser Cleaner Roller
15W0906	7-34646-20454-5	Oil Bottle
15W0907	7-34646-20455-2	Waste Toner Bottle
15W0908	7-34646-20456-9	Fuser Kit LV
Media		
12A5590	7-34646-20594-8	Transparencies (Letter)
OPTIONS AND FEATURES		
Paper Handling Options		
15W0910	7-34646-20458-3	Duplex Unit
15W0911	7-34646-20459-0	500-Sheet Drawer
15W0912	7-34646-20460-6	250-Sheet Legal Tray
Memory Options		
16H0055	7-34646-28613-8	8MB SDRAM
16H0056	7-34646-28614-5	16MB SDRAM
16H0057	7-34646-28615-2	32MB SDRAM
16H0058	7-34646-28616-9	64MB SDRAM
16H0059	7-34646-28621-3	128MB SDRAM
5K00115	7-34646-28617-6	2MB Flash
5K00116	7-34646-28618-3	4MB Flash
5K00117	7-34646-28619-0	8MB Flash
5K00118	7-34646-28620-6	16MB Flash
Font Options		
13K0227	7-34646-20870-3	Japanese Font DIMM
APPLICATIONS SOLUTIONS		
Optra Forms Solutions		
11N0040	7-34646-20731-7	Optra Forms™ Software
11N0052	7-34646-20732-4	Optra Forms Director
11N0056	7-34646-30810-6	Optra Forms Manager CD
5K00215	7-34646-28715-9	Optra Forms 2MB Flash DIMM
5K00216	7-34646-28716-6	Optra Forms 4MB Flash DIMM
5K00217	7-34646-28717-3	Optra Forms 8MB Flash DIMM
5K00218	7-34646-28718-0	Optra Forms 16MB Flash DIMM
10A0031	7-34646-27940-6	Optra Forms 5+ GB Hard Disk
15W0000	7-34646-27945-1	C720 ImageQuick™ Card

Part No.	UPC	Description
NETWORK CONNECTIONS		
Internal Print Servers²		
44D0000	7-34646-17332-2	MarkNet N2001e Ethernet 10/100BaseTX
44D0020	7-34646-17333-9	MarkNet N2000t Token-Ring
44D0050	7-34646-17334-6	MarkNet N2002e Ethernet 10BaseT/2
Internal Fiber Optic Print Servers		
44D0100	7-34646-30368-2	MarkNet N2003fx SC (100MB)
44D0085	7-34646-30367-5	MarkNet N2003fx MTRJ (100MB)
External Print Servers		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTx – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTx/10Base2 – 1-port
46D0020	7-34646-30357-6	MarkNet X2031e Ethernet 10/100BaseTx – 3-port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-port
OTHER ATTACHMENT OPTIONS		
Adapters		
44H0008	7-34646-12648-9	Tri-Port Adapter LocalTalk/Serial/Infrared
44H0009	7-34646-12650-2	Infrared Adapter ³
11K4120	7-34646-24573-9	Coax/Twinax Adapter for SCS
44H0034	7-34646-17045	USB/Parallel Interface Card
1368705	7-34646-11309-0	External Serial Adapter
1010025	7-34646-11802-6	802.11b Wireless Print Adapter
Cables		
1329605	0-87944-0956-4	Parallel (10') Cable
1427498	7-34646-13068-4	Parallel (20') Cable
12A2405	7-34646-18340-6	USB (2-meter) Cable
1038693	7-34646-21649-4	Serial (50') Cable
MULTIFUNCTION OPTIONS		
Furniture		
15W0263	7-34646-07905-1	Stand-alone Paper Cart/Cabinet
16C0399	7-34646-12086-9	Scanner Stand with Cabinet
Multifunction Solutions		
16A0533	7-34646-20597-9	Lexmark X443 MFP Option

¹Yield is based on approximately 5% print coverage

²Requires one internal solutions port

³Requires Tri-Port Adapter

