

Features to optimize your work



Easy brand matching Consistently match branded colors and print marketing collateral inhouse with Lexmark Named Color Replacement.



Intuitive color touch screen
Operate your printer with ease and
confidence using the 4.3-inch color
touch screen that makes navigation
smart and intuitive.



Convenient updates
Preview documents and change
output settings such as two-sided
printing directly at the device.



Flexible input capacity
With the optional 550-sheet
drawers, specialty media drawer
and 2,000-sheet high-capacity
feeder, customize input options to
meet your printing needs.



Optional hard diskThe optional hard disk increases productivity, reduces job waiting and includes on-printer form and file storage.



Use less energy
The instant warm-up fuser reduces energy consumption and delivers a time to first page as fast as 9 seconds in both black and color.



Walk-up USB printing
The front USB port allows for
convenient walk-up printing of
PDFs and many printable image file
formats.



Multiple media support Ultra-reliable paper feeding supports diverse media, including card stock, vinyl labels, banners and more.



Lexmark C748 Family Overview



Robust high-quality color

Rely on Lexmark C748 color laser printers for the high-quality color printing essential to business. Speed and reliability mean minimal waiting and few interruptions. You consistently and quickly receive vibrant documents.

- Match corporate colors on marketing collateral and brand-sensitive text and graphics with Lexmark Named Color Replacement and PANTONE® calibration.
- The high-speed processor and Gigabit Ethernet networking mean fast data transfer and fast processing, even on complex color documents.
- Print quickly at speeds up to 35 ppm and a time to first page as fast as 9 seconds in both black and color.
- Lexmark cartridges let you print up to 12,000 pages per cartridge in black and up to 10,000 pages per cartridge in color.¹



Productivity made easy

The combination of easy-to-use features and reliable performance means business processes are intuitive and you are productive. Increase efficiency with workflow-enhancing solutions and shortcuts designed to reduce unnecessary printing and simplify processes.

- The easy-to-use 4.3-inch color touch screen provides audible feedback and tablet-like navigation to make device operation intuitive and simple.
- Expand input capacity with optional paper drawers that let you load multiple paper types and boost total input capacity up to 4,300 sheets.
- Create customized messages to provide helpful information such as helpdesk telephone numbers.
- Easily manage supplies though programmable alerts that automatically send reorder notifications.



Sustainable by design

Environmentally friendly printing and energy-saving features make it easy to print responsibly. Use fewer raw materials with features that reduce the number of pages printed and free cartridge return and recycling programs.

- Use less electricity with Hibernate Mode, which reduces energy consumption to less than one watt and meets multiple energy management standards.
- Choose from multiple print settings that help reduce energy, paper and toner consumption using custom Eco-Settings.
- Cartridges are eligible for the Lexmark Cartridge Collection Program (LCCP), which offers a variety of free, easy return options designed for your business size and printing volume.
 For more information visit www.lexmark.com/recycle.²
- Reduce paper consumption by up to 50% and reduce your impact on the environment with two-sided printing.

Lexmark C748 Family Ordering information

Compatible on the complete Lexmark C748 Family

Part #	Laser Toner/Print Cartridge	
C746H1KG	C746, C748 Black High Yield Return Program Toner Cartridge	
C748H1CG C748H1MG	C748 Cyan High Yield Return Program Toner Cartridge C748 Magenta High Yield Return Program Toner Cartridge	
C748H1YG C746A1CG C746A1MG C746H2KG C748H2CG C748H2CG C748H2YG C748A2CG C746A2CG C746A2VG C734X77G C734X2OG C734X2QG	Cartridge Cartridge	
Part #	Furniture	
3052765	Swivel Cabinet	

34T5114	C74x, X74x Caster Base	
Part #	Memory Options	
1025041 1025042 1025043 14F0245 27X0014 30G0287 30G0828 30G0825 30G0826 30G0827	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card 160+ GB Hard Disk Arabic Font Card Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card	
Part #	Application Solutions	
57X9000 41H0198 41H0199 41H0197	Lexmark PrintCryption Card C748 Card for IPDS C748 Card for PRESCRIBE Emulation C748 Forms and Bar Code Card	
Part #	Connectivity	
27X0025 14F0037 1021294	MarkNet N8250 802.11b/g/n Wireless Print Server MarkNet N8120 Gigabit Ethernet Print Server USB Cable (2-meter)	

Part #	User Replaceable Parts
14F0100	RS-232C Serial Interface Card
1021231	Parallel Cable (10-foot)
14F0000	Parallel 1284-B Interface Card

Pick Tire
Pick Tire, Specialty Media Drawer
C74x, X74x Fuser Maintenance 110-120V
C74x, X74x Transfer Belt Maintenance Kit

Lexmark C748e

Part #	Model		
41H0000	Lexmark C748e		
Part #	Paper Handling		
27S2100 27S2400 27S2650 27S2190	550-Sheet Drawer 2,000-Sheet High Capacity Feeder 550-Sheet Specialty Media Drawer 4.8 inch (12.2 cm) Spacer		
Part #	Extended Warranties		
2355024	C748 2-Years Total (1+1) Onsite Service, Next Business Day		
2355025	C748 3-Years Total (1+2) Onsite Service, Next Business Day		

2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2355031	C748 Install, De-Install Service

Lexmark C748e color laser printer, Up to 10,000*-page color (CMY) toner cartridges, Up to 12,000*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C748de

Part #	Model
41H0050	Lexmark C748de
Part #	Paper Handling
27S2100 27S2400 27S2650 27S2190	550-Sheet Drawer 2,000-Sheet High Capacity Feeder 550-Sheet Specialty Media Drawer 4.8 inch (12.2 cm) Spacer
Part #	Extended Warranties
Part # 2355024	Extended Warranties C748 2-Years Total (1+1) Onsite Service, Next Business Day
	C748 2-Years Total (1+1) Onsite Service, Next Business
2355024	C748 2-Years Total (1+1) Onsite Service, Next Business Day C748 3-Years Total (1+2) Onsite Service, Next Business

2355031	C748 Install, De-Install Service
Part #	Installation Service
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day

In the box

In the box

Lexmark C748de color laser printer, Up to 10,000*-page color (CMY) toner cartridges, Up to 12,000*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C748dte

Part #	Model	
41H0100	Lexmark C748dte	
Part #	Paper Handling	
27S2100 27S2400 27S2650 27S2190	550-Sheet Drawer 2,000-Sheet High Capacity Feeder 550-Sheet Specialty Media Drawer 4.8 inch (12.2 cm) Spacer	
Part #	Extended Warranties	
Part # 2355024	Extended Warranties C748 2-Years Total (1+1) Onsite Service, Next Business Day	
	C748 2-Years Total (1+1) Onsite Service, Next Business	


2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2355031	C748 Install, De-Install Service

In the box

Lexmark C748dte color laser printer, Includes 550-Sheet Drawer, Up to 10,000*-page color (CMY) toner cartridges, Up to 12,000*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC

Lexmark C748 Family Product specifications





Product specifications	Lexmark C748e	Lexmark C748de	Lexmark C748dte	
Printing			1	
Display	Lexmark	c e-Task 4.3-inch (10.9 cm) color touch screen with audible	feedback	
Print Speed: Up to	Black: 35 ppm / Color: 35 ppm			
Time to First Page: As fast as	Black: 9 seconds / Color: 9 seconds			
Print Resolution, Color	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Processor	800 MHz			
Memory		Standard: 512 MB / Maximum: 1536 MB		
Hard Disk		Option available		
Recommended Monthly Page Volume ⁴		2,500 - 10,000 pages		
Maximum Monthly Duty Cycle: Up to ⁵		100,000 pages per month		
Supplies				
Supplies Yield	10,0001-page color High Yield Toner Cartri	dges (CMY), 12,0001-page Black High Yield Toner Cartridge	, 7,0001-page color (CMY) Toner Cartridges	
Cartridge(s) Shipping with Product	10,000¹-page color (CMY) High Yield Return Program Toner Cartridges, 12,000¹-page Black High Yield Return Program Toner Cartridge			
Paper Handling				
Paper Handling Standard	300-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input	
Paper Handling Optional	550-Sheet Dra	wer, 2,000-Sheet High-Capacity Feeder, 550-Sheet Specialt	y Media Drawer	
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond	Standard: 1200 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond	
Paper Output Capacity: Up to	Standard: 300	pages 20 lb or 75 gsm bond / Maximum: 300 pages 20 lb	or 75 gsm bond	
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide			
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, B5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6			
General				
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45)			
Optional Network Ports	Internal MarkNet™ N8120 Gigabit Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless			
Optional Local Ports	Internal RS-232C serial, Internal 1284-B Bidirectional Parallel			
Print Noise Level, Operating	55 dBA			
Product Warranty	1-Year Onsite Service, Next Business Day			
Energy Star	No	Yes	Yes	
Specified Operating Environment	Temperature: 16 to 32°C (60	0 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0	- 3048 Meters (10,000 Feet)	
Size (in H x W x D) / Weight (lb.)	17.9 x 17.1 x 15.7 in. / 56.4 lb.	17.9 x 17.1 x 15.7 in. / 56.4 lb.	22.9 x 17.1 x 21.5 in. / 66.4 lb.	

