



MX6500e
pictured with MS812dn (sold separately)

Lexmark MX6500e

Expand your capabilities.

Designed for versatility and performance, the Lexmark MX6500e Multifunction Option expands your capabilities and delivers a wide range of functionality. This modular device seamlessly creates a state-of-the-art multifunction system with broad media handling and fast scanning speeds.

Confidently capture content and process data

Whether you routinely scan a large number of documents or encounter challenging paper-handling tasks, the MX6500e processes documents, quickly and conveniently. Great for batch scanning, this device keeps your jobs moving, effortlessly processing even the toughest media.



Up to 86 ppm



Security



Multimedia support



Duplex ADF single-pass



Finishing function



Reliable performance for high volumes:

Scan up to 5,000 pages per day. This hard-working device makes it easy to boost productivity by turning vital business information into available and actionable data in a matter of seconds.

Handles a wide range of media easily:

The rugged automatic document feeder accepts a variety of media, from rigid identification cards to thin carbonless paper—up to and including tabloid (11x17 inches or A3) size. And safeguard your originals with ultrasonic multi-feed sensing.

Get work done quickly: With a fast, two-sided scan speed of up to 86 images per minute, you can quickly capture and digitize content. Plus, print your first page in as little as 4.3 seconds from the MS812dn and rapidly scan both sides of a rigid card in a single pass.

Configure a system to fit your needs

Build a flexible system that best fits your capturing, printing and finishing needs. Easily combines with a Lexmark MS810 or MS710 Series* laser printer for advanced functionality—and high volume printing.

Where you need it: Adapts easily to the layout of your facility or office to enable workflow efficiency. With its modular design, you'll have the freedom to position this device closest to where your work is performed.

Access made easy: Unlike large, bulky copiers, you can place the MX6500e at a lower height for wheelchair accessibility.

*Refer to specification table on back page.

Multifunction option

Intelligent workflow. Advanced security.

Our preloaded business solutions simplify your work processes and increase productivity. In addition, advanced security capabilities provide maximum protection for your critical data.

Embedded solutions make it easy:


Lexmark's applications work much like mobile phone apps. Touch the screen and access shortcuts, such as print on demand, to reduce unnecessary printing and simplify work processes.

Do more with premium apps: The MX6500e comes with premium applications, giving you powerful workflow solutions at no additional cost. So you can easily route and file images with Scan to Network Premium. Simplify automatic file sorting with Barcode Discovery. And scan content directly into your Microsoft® SharePoint® libraries with Scan to SharePoint.

Enjoy enterprise-level security: Now you can authenticate, authorize and audit employee usage. And to protect your sensitive data, use our standard network security protocols, data encryption and disk wiping capabilities.



MX6500e printer features



Standard
 Optional

Product specifications	Lexmark MX6500e + MS710dn	Lexmark MX6500e + MS711dn	Lexmark MX6500e + MS810n/dn	Lexmark MX6500e + MS811n/dn	Lexmark MX6500e + MS812dn
Printing					
Display	Lexmark e-Task 10.2-inch color touch screen				
Processor	900 MHz				
Memory/hard disk	512 MB with 160+ GB Hard Disk Included, 1.536 GB Maximum				
Standard connectivity	Ethernet 10/100/1000 BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front and Rear USB 2.0 Specification Hi-Speed Certified port (Type A), 1 open slot for other connectivity options, 1 card slot for optional flash, font or firmware card				
Product warranty	1-Year Limited Warranty, Onsite				
Scanner size (HxWxD)/weight	8.27 in. x 23.43 in. x 22.13 in./38.0 lb				
Printer size (HxWxD)/weight	15.4 x 16.7 x 20.1 in./51.0 lb.	16.5 x 16.7 x 20.1 in./52.4 lb.	16.5 x 16.7 x 20.1 in./52.2 lb.		
Scanning					
Scanner type	Single-pass, Two-sided ADF, Flatbed				
Light source	LED Array (Light Emitting Diodes)				
Image sensor type	Color CCD (Charge-Coupled Device) x3				
Scan speed ¹	Up to 50 pages per minute/86 sides per minute				
Scan resolution	Up to 600 x 600 dpi				
Output bit depth	Color: 24-bit, Grayscale: 8-bit (256 levels), Black: 1-bit				
Document size: DADF	From 2 in. x 3 in. Up to 11 in. x 17 in.				
Document size: Flatbed	Up to 8.5 in. x 11 in./A4				
Multi-feed detection	Ultrasonic				
DADF capacity	Up to 100 sheets				
Scan duty cycle ²	Up to 5000 Scans Per Day				
Fax type	Super G3 (V.34, 33.6 Kbps), JBIG/JPEG Compression, ITU-T.30U				
Printing					
Print speed: Up to (letter/A4) ¹	50 ppm/48 ppm	55 ppm/52 ppm	55 ppm/52 ppm	63 ppm/60 ppm	70 ppm/66 ppm
Time to first page: As fast as	8.5 seconds		4.8 seconds	4.4 seconds	4.3 seconds
Print resolution	600 x 600 dpi, 2400 Image Quality, 1200 Image Quality		1200 x 1200 dpi, 600 x 600 dpi, 2400 Image Quality, 1200 Image Quality		
Recommended monthly page volume ³	3000 - 20000 pages	5000 - 50000 pages	3000 - 20000 pages	5000 - 30000 pages	5000 - 50000 pages
Paper input	250-sheet input, 100-sheet multipurpose feeder, integrated duplex (maximum: 4100 pages)	550-sheet input, 100-sheet multipurpose feeder, integrated duplex (maximum: 4400 pages)	550-sheet input, 100-sheet multipurpose feeder, integrated duplex only on "dn" models (maximum: 4400 pages)		550-sheet input, 100-sheet multipurpose feeder, integrated duplex (maximum: 4400 pages)
Optional paper handling	550-sheet tray, 250-sheet tray, 2100-sheet tray, staple finisher, high capacity output expander, output expander, 4-bin mailbox				
Media types supported	Plain paper, Card stock, Paper labels, Dual Web paper labels, Integrated forms, Transparencies, Polyester labels and Vinyl labels		Plain paper, Card stock, Paper labels, Dual Web paper labels, Integrated forms, Transparencies and Envelopes		

¹ Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. ² "Maximum monthly duty cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPS. ³ "Recommended monthly page volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁴ Print and copy speeds measured in accordance with ISO/IEC 24734, excludes first set of test documents. For more information see: www.lexmark.com/ISOspeeds. ⁵ Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ⁶ For more information on Lexmark Mobile Solutions see: www.lexmark.com/mobile ⁷ Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁸ Duplex (2-sided printing) models are ENERGY STAR compliant.

15WWW4284

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.