

Lexmark MX718de

Our fastest mono MFP has a big touch screen and large capacity

The MX718de features workgroupready print speeds of up to 66 pages per minute and single-pass duplex, full-colour scanning at up to 132 sides per minute (so you can scan in colour images and documents to email). With a 25 cm touch screen, recommended print capacity of up to 100,000 pages per month, input capacity expandable to 3,300 sheets and an optional Extra High Yield cartridge that produces up to 45,000 pages, the MX718de can easily support 10-20 busy workers.

Multifunction smarts and flexibility

The MX718de transmits high-frequency sound waves through the paper during automated scanning to make sure every page gets scanned. If two pages stick together and one page isn't scanned, you'll be notified so you can restart or cancel the scan job. (This Multifeed Detection feature can be disabled if you choose.)

The MX718de also improves your print speeds by taking advantage of its 1GB of memory (upgradable to 3GB), a dual-core processor and Gigabit networking.





Mobility

Security. Confidential Print. Mobile print capability.

Extensive network security features and protocols protect your device, information and network from unauthorised access.

Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.

Giant color e-Task touch screen can be customised for each user

The e-Task interface transforms the MX718de into your own personal gateway to time-saving solutions, customised shortcuts and workflows.

Simply authenticate at the MFP and you immediately see your own personalised, giant 25 cm screen with all the one-touch shortcuts you've created to scan, print, copy or send faxes, emails and other documents.

Network Duplex ADF-single pass







MX718de

Unisor

4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable MX718de is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years*. The guarantee also offers you free 24hour online support and access to technical support by phone during working hours.

*Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at lexmark.com/myguarantee



This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

Preloaded business solutions simplify your work processes and increase productivity, while optional apps help you take on specific challenges.

Monitor jobs and supplies on the screen or from a remote location via the web interface.

Software solutions increase productivity and save money

Lexmark's Embedded Solutions Framework (eSF) allows the MX718de to load and run software solutions tailored to your specific need or industry, to avoid having to develop and host your own applications.

The MX718de runs a wide range of optional eSF applications created by Lexmark, its partners and customers to solve specific challenges. Simply select and load an eSF app and run it directly on the device, eliminating the need to manage server-based applications.

Extra High Yield cartridges produce up to 45,000 pages

Available Extra High Yield cartridges produce up to 45,000 pages and never require shaking, which minimises interruptions and reduces cost per page. The Lexmark print system and Unison™ Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

User-friendly

The MX718de is simple to install, easy to use and offers full compatibility with nearly every operating system and network, so you'll be up and running in minutes. It's built to last, so you'll easily be able to print up to 100,000 pages per month, thanks to our state-of-theart paper handling technology and long-life consumables.

Lexmark's Mobile Print app for iOS and Android devices provides a simple and consistent user experience for printing from mobile devices. It features simple printer discovery and mobile print options.

A front USB port lets you print PDF and other image files directly from a flash drive and store scanned documents.

Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first printed page as fast as 4 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through the Lexmark Cartridge Collection Program, Lexmark offers a free and easy way to return your empty cartridges for sustainable recycling or remanufacturing.






| Product specifications | Lexmark MX718de |
|---|--|
| Printing | |
| Display | Lexmark e-Task 10-inch (25 cm) class colour touch screen |
| Print Speed: Up to ⁶ | Black: 66 ppm |
| Time to First Page: As fast as | Black: 4.0 seconds |
| Print Resolution | Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi |
| Memory / Processor | Standard: 1024 MB / Maximum: 3072 MB / Dual Core, 800 MHz |
| Hard Disk | Option available |
| Recommended Monthly Page Volume ² | 5000 - 100000 pages |
| Maximum Monthly Duty Cycle: Up to ³ | 350000 pages per month |
| Copying | |
| Copy Speed: Up to ⁶ | Black: 66 cpm |
| Time to First Copy: as fast as | Black: 4.0 seconds |
| Scanning | |
| Scanner Type / ADF Scan | Flatbed scanner with ADF / DADF (single pass Duplex) |
| A4/Ltr Duplex Scan Speed: Up to | Black: 132 / 140 Sides per minute / Colour: 132 / 140 Sides per minute |
| A4/Ltr Simplex Scan Speed: Up to | Black: 66 / 70 Sides per minute / Colour: 66 / 70 Sides per minute |
| ADF Paper Input Capacity: Up to | 150 pages 75 gsm bond |
| Faxing | |
| Modem Speed | ITU T.30, V.34 Half-Duplex, 33.6 Kbps |
| Supplies ⁷ | |
| Laser Cartridge Yields (up to) ¹ | 25,000-page High Yield Cartridge, 45,000-page Extra High Yield Cartridge, 11,000-page Cartridge |
| Imaging Unit Estimated Yield: Up to | 100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage |
| Cartridge(s) Shipping with Product ¹ | 10,000-page Starter Return Program Toner Cartridge |
| | |
| Paper Handling | |
| Included Paper Handling | 550-Sheet Input, 100-Sheet Multipurpose Feeder, 550-Sheet Output Bin, Integrated Duplex |
| Optional Paper Handling | 250-Sheet Tray, 550-Sheet Tray, 2100-Sheet Tray, 250-Sheet Lockable Tray, 550-Sheet Lockable Tray |
| Paper Input Capacity: Up to | Standard: 650 pages 75 gsm bond / Maximum: 3300 pages 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 550 pages 75 gsm bond / Maximum: 550 pages 75 gsm bond |
| Media Types Supported | Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide. |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6 |
| General Information⁴ | |
| Standard Ports | One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A) |
| Optional Network Ports / Optional Local Ports | Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel |
| Noise Level: Operating | Print: 58 dBA / Copy: 58 dBA / Scan: 57 dBA |
| Specified Operating Environment | Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet) |
| Product Guarantee ⁸ | 4 Years Guarantee SMB Line |
| Size (mm - H x W x D) / Weight | 727 x 548 x 578 mm / kg: 43.3 kg |
| Part Number | 24TC234 |

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark. com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁹Print and copy speeds measured in accordance with ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark. com/regions for more details. ⁶Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at lexmark.com/myguarantee.

This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for

use in residential or domestic environments due to potential interference to radio communications.



© 2017 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

 \checkmark