





NETWORK





Lexmark X650 Series

Lexmark X652de Lexmark X651de Lexmark X654de Lexmark X656de Lexmark X656dte



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

(1) Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

The Lexmark X650 Series packs more benefits than ever into a high-performance, space-saving multifunction laser. Power up your workgroup with reliable, ultra-fast printing and copying. Boost productivity with superior color-scanning capabilities and efficient workflow solutions. And experience smart, new ways to lower costs while reducing the environmental impact of printing.



Enhance workflow performance!

There are enough things that can slow you down in a day – your documents shouldn't be one of them. Powerful print speeds and intelligent time-saving features team up to make your workday fully efficient and productive.

- Delivers up to 55 prints, copies or scans per minute
- Rapid high-quality duplex scanning in monochrome and color (available on the X654 and X656 models only)
- Optimized workflow capabilities with flexible scan destinations and formats
- Hard-disk models support advanced features, like on-screen scan previews

 Includes advanced faxing with time-saving shortcuts (fax is optional on Lexmark X651de)

* X654 and X656 models only



options, more versatility and more functionality for a truly customized solution. Choose from a wide range of flexible features to achieve a perfect fit for your business.

- Input options let you load up to 3,200 sheets
- Customizable touch screen for simple one-touch operation
- MyMFP lets users personalize the touch screen with the functions and shortcuts they use most
- Lexmark's Embedded Solutions Framework enables your MFP to be tailored for workflow efficiency



Cutting-edge security

The Lexmark X650 Series is equipped with state-of-the-art security to protect your valuable corporate data. It also features customizable user-access controls, allowing you to enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks

Prints black, thinks green

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You'll save time, costs and office space, while powering fewer devices. You can also significantly reduce cartridge waste by using Lexmark's high-yield and extra-high-yield print cartridges, which boast extraordinary page yields – up to 36,000* pages.

- Eco-Mode reduces power consumption
- Built-in duplex printing saves paper
- 25,000*-page and 36,000*-page print cartridges reduce waste as well as keep your cost per page low
- Lexmark Cartridge Collection Program offers fast, free and easy recycling





Explore the features that keep you moving



Loads of benefits packed into one device!

What can device consolidation do for your business?

If you're still struggling between multiple devices across your office – printers, scanners, copiers and fax machines – then your true productivity potential is still far out of reach. But with Lexmark, there's an easy fix!

Solidly robust and competitively fast, Lexmark's industry-leading MFPs allow you to unite all your critical document functions into one high-performance device.

And the benefits go far!

You'll optimize office space and save money on hardware, consumables, service contracts and even electricity.

The Productivity Checklist If you've got all these, then you've got a Lexmark!



Enormously intuitive touch screen

The incredibly large, fully featured color touch screen gives you fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most. You can even change the background image to whatever suits you best, like your own loop.



Efficient traffic shaping

When you e-mail a large file from your Lexmark X650 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

On-screen scan previews

Before you scan and e-mail an important image file, see how it looks and fits on the page. Should it be in color or black and white? Is the page orientation correct? Are you sure you scanned the correct side of the page? You may also want to check the file size of the scanned document before you save it or forward it. The Lexmark X650 Series lets you preview your scan and note the file size, saving you time and eliminating errors (hard disk required).

Multitalented copying

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to temporarily interrupt long print runs; ID Card Copy to copy both sides of a card on a single sheet; Sample Copy to proof the first copy set before printing the remaining copies; and Remote Copy, which you can use to scan color documents on your monochrome Lexmark X650 Series MFP and retrieve them from a Lexmark color laser printer.

Personalized user settings

A real efficiency booster, Lexmark's new MyMFP feature lets multiple users save and re-access their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings, and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

Effortless manageability

Take a load off your help desk. These printers are network-ready and very easy to set up. If you're installing multiple Lexmark laser devices, the Lexmark Universal Driver offers even easier deployment. Once you're up and running, Lexmark's free remote management software, Lexmark MarkVision™ Professional, keeps the workday flowing.

Lexmark's Embedded Solutions Framework

Experience more productivity than you could ever imagine! Lexmark new MFPs come solutions-ready, so you can easily opt for one of Lexmark's leading workflow-enhancing applications, such as Remote Copy, embedded Document Accounting Solution, and more. These solutions are specially designed to help you lower costs, analyze usage patterns, expand your functionality and move information more efficiently throughout your enterprise. To find out how multifunction solutions can boost your performance, call your Lexmark representative today.



Get exactly the performance you need









Lexmark X651de

- Includes print, copy and scan functions
- Up to 45 ppm, as fast as 8 seconds to first page
- Customizable 7" color touch screen
- Recommended monthly volume:
 3,000 to 20,000 pages
- 650-sheet standard input, 550sheet output capacity
- Ships with 7,000*-page Return Program Print Cartridge
- Lexmark High Yield Print Cartridge available (25,000* pages)

Lexmark X652de

Same as X651de but also includes:
• High-speed faxing

Lexmark X654de

- Up to 55 ppm, as fast as 9.5 seconds to first page
- Automatic document feeder holds up to 75 sheets and scans both sides of your document in one pass
- Extra-large 9" color touch screen
- Recommended monthly volume:
 5,000 to 30,000 pages
 Ships with an 18,000*-page
- Ships with an 18,000*-page
 Return Program Print Cartridge
- Lexmark Extra High Yield Print Cartridge available (36,000* pages)

Lexmark X656de

Same as X654de but also includes:

• 80GB hard disk for expanded functionality

Lexmark X656dte

Same as X656de but also includes:

Added 550-sheet drawer for
1,200-sheet total input capacity

	Lexmark X652de	Lexmark X656de	Lexmark X656dte
Printing			
Print Technology		Monochrome Laser	
Print Speed (Letter, Black): Up to	45 ppm	55 ppm	55 ppm
Time to First Page (Black)	As fast as 8.0 seconds	As fast as 9.5 seconds	As fast as 9.5 seconds
Print Resolution, Black			
Memory, Standard	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory, Maximum	256 MB		
		1280 MB	
Print Noise Level, Operating	54 dBA	56 dBA	56 dBA
Noise Level, Idle		29 dBA	
Maximum Monthly Duty Cycle: Up to	200,000 pages per month	275,000 pages per month	275,000 pages per month
Recommended Monthly Page Volume	3,000 - 20,000 pages	5,000 - 30,000 pages	5,000 - 30,000 pages
Supplies			
Supplies Yield	25,000"-page High Yield Print Cartridge, "Average standard page yield value declared in accordance with ISO/IEC 19752., 7,000"-page Print Cartridge	25,000*-page High Yield Print Cartridge, "Average standard page yield value declared in accordance with ISO/IEC 19752., 7,000*-page Print Cartridge, 36,000*-page Extra High Yield Print Cartridge	25,000*-page High Yield Print Cartridge, "Avera standard page yield value declared in accordan with ISO/IEC 19752., 7,000*-page Print Cartrid; 36,000*-page Extra High Yield Print Cartridge
Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	18,000*-page starter Return Program Print Cartridge	18,000*-page starter Return Program Print Cartridge
Copying			
Copy Speed (A4, Black): Up to	43 cpm	53 cpm	53 cpm
Copy Speed (Letter, Black): Up to	45 cpm	55 cpm	55 cpm
Scanning			
Scanning Resolution		600 X 600 dpi (black)	
Reduce / Enlarge Range		25 - 400 %	
Faxing		20 400 /0	
Modern Speed		00 C I/bas	
Paper Handling		33.6 Kbps	
Paper Handling Standard	Interrupted Duralay, 100 Chapt Multipumpage	Intermeted Dunlay 100 Cheet Multinumana	Intermeted Dundley 100 Cheet Multinumpee
Paper Hariuming Standard	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Bin	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Bin	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input Tra 550-Sheet Output Bin
Paper Handling Optional	400-Sheet Universally Adjustable Tray with Drawer, 550-Sheet Drawer, 250-Sheet Drawer, Optional furniture required., 2,000-Sheet High-capacity Feeder (Caster Base required)		
Paper Input Capacity, Standard: Up to	650 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond	1200 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to		3200 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Standard: Up to		550 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Maximum: Up to	550 pages 20 lb or 75 gsm bond		
ADE Bonor Innut Consoity - Un to			
ADF Paper Input Capacity : Up to			
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated	75 pages 20 lb or 75 gsm bond Tabels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide	Fransparencies, Vinyl Labels, Refer to the Card Sto
		75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1	· · · · · · · · · · · · · · · · · · ·
Media Types Supported		75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide	
Media Types Supported Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Enve	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, T & Label Guide Blope, A4, A5, DL Erwelope, Executive, Folio, JIS-B5, L	egal, Letter, Statement, Universal, A6
Media Types Supported Media Sizes Supported Compatibility	10 Envelope, 7 3/4 Envelope, 9 Enve	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide	.egal, Letter, Statement, Universal, A6 TCP, UDP
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support	10 Envelope, 7 3/4 Envelope, 9 Enve TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethemet 10/100BaseTX (RJ-45), One Internal Card S	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, T & Label Guide slope, A4, A5, DL Erwelope, Executive, Folio, JIS-B5, L /4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML	egal, Letter, Statement, Universal, A6 TCP, UDP _, PDF 1.6, Direct Image, Microsoft XPS (XML Paper, USB Port (Type A) compatible with USB 2.0 Spe
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard)	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, T & Label Guide slope, A4, A5, DL Erwelope, Executive, Folio, JIS-B5, L /4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B)	egal, Letter, Statement, Universal, A6 TCP, UDP , PDF 1.6, Direct Image, Microsoft XPS (XML Pap., USB Port (Type A) compatible with USB 2.0 Spe (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide slope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L	egal, Letter, Statement, Universal, A6 TCP, UDP , PDF 1.6, Direct Image, Microsoft XPS (XML Pap., USB Port (Type A) compatible with USB 2.0 Spe (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide slope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L 44, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification Hi-Speed Certified (Type B) Front USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Service Server 2008 x64, Server 2008 running Terminal Service Mac OS X, Mac OS 9.2	egal, Letter, Statement, Universal, A6 TCP, UDP , PDF 1.6, Direct Image, Microsoft XPS (XIVIL Par, USB Port (Type A) compatible with USB 2.0 Spe (Type A) ervices, Server 2003 x64, Server 2003 x64 runnir
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide slope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L	egal, Letter, Statement, Universal, A6 TCP, UDP , PDF 1.6, Direct Image, Microsoft XPS (XML Page), USB Port (Type A) compatible with USB 2.0 Spec (Type A) ervices, Server 2003 x64, Server 2003 x64 runnir
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, 3	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, T & Label Guide Blope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L 14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Service Server 2008 x64, Server 2008 running Terminal Service Mac OS X, Mac OS 9.2 www.lexmark.com	Legal, Letter, Statement, Universal, A6 TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper), USB Port (Type A) compatible with USB 2.0 Specifype A) ervices, Server 2003 x64, Server 2003 x64 running services, Server 2008 x64 running Terminal Services, 7
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General Function	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, 3	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, I & Label Guide Rlope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L A4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Seserver 2008 x64, Server 2008 running Terminal Service Mac OS X, Mac OS 9.2 www.lexmark.com or Scanning, Copying, Faxing, Network Scanning, Prin	Legal, Letter, Statement, Universal, A6 TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper), USB Port (Type A) compatible with USB 2.0 Specifype A) ervices, Server 2003 x64, Server 2003 x64 running services, Server 2008 x64 running Terminal Services, 7
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General Function Product Warranty	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, 3	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, T & Label Guide Blope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L 14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Service Server 2008 x64, Server 2008 running Terminal Service Mac OS X, Mac OS 9.2 www.lexmark.com	Legal, Letter, Statement, Universal, A6 TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper), USB Port (Type A) compatible with USB 2.0 Specifype A) ervices, Server 2003 x64, Server 2003 x64 running services, Server 2008 x64 running Terminal Services, 7
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General Function	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, 3	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, I & Label Guide Rlope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, L A4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Seserver 2008 x64, Server 2008 running Terminal Service Mac OS X, Mac OS 9.2 www.lexmark.com or Scanning, Copying, Faxing, Network Scanning, Prin	Legal, Letter, Statement, Universal, A6 TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper), USB Port (Type A) compatible with USB 2.0 Specifype A) ervices, Server 2003 x64, Server 2003 x64 running services, Server 2008 x64 running Terminal Services, 7
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General Function Product Warranty	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, 3	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide Ilope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Lev4, IPX/SPX, AppleTalk TM , LexLink (DLC), TCP/IP IPv6, per Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification) Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Service Mac OS X, Mac OS 9.2 WWW.lexmark.com or Scanning, Copyling, Faxing, Network Scanning, Prin 1-Year Onsite Service, Next Business Day	Legal, Letter, Statement, Universal, A6 TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper), USB Port (Type A) compatible with USB 2.0 Specifype A) ervices, Server 2003 x64, Server 2003 x64 running services, Server 2008 x64 running Terminal Services, 7
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported General Function Product Warranty Product Certifications	TCP/IP IP. PCL 5e Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), One Internal Card S cation, F 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, S	75 pages 20 lb or 75 gsm bond I Labels, Paper Labels, Plain Paper, Polyester Labels, 1 & Label Guide alope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Lev., 1 A4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, er Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification Slot, USB 2.0 Specification Hi-Speed Certified (Type B) Front USB Port Compatible with USB 2.0 Specification ng Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Service Mac OS X, Mac OS 9.2 Www.lexmark.com or Scanning, Copying, Faxing, Network Scanning, Prin 1-Year Onsite Service, Next Business Day www.lexmark.com	egal, Letter, Statement, Universal, A6 TCP, UDP _, PDF 1.6, Direct Image, Microsoft XPS (XML Pap, , USB Port (Type A) compatible with USB 2.0 Spe (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin es, Server 2008 x64 running Terminal Services, 7

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Radelinans
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X652de



Part #	Model
16M1260	Lexmark X652de
Part #	Laser Toner/Print Cartridge
X651H11A X651A11A X651H04A X651H21A X651A21A	X85x High Yield Return Program Print Cartridge X85x Return Program Print Cartridge X65x High Yield Return Program Print Cartridge for Label App X65x High Yield Print Cartridge X65x Print Cartridge
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
30G0800 30G0802 30G0854 30G0804 30G0871 30G0860 30G0849 30G0836 30G0859	250-Sheet Drawer 550-Sheet Drawer 5 inch (12.7 cm) Spacer 5 inch (12.7 cm) Spacer 2000-Sheet High Capacity Feeder 200-Sheet Linkversally Adjustable Tray with Drawer 400-Sheet Lonkversally Adjustable Tray with Drawer 550-Sheet Lockable Drawer 200-Sheet Lockable Universally Adjustable Tray with Drawer 400-Sheet Lockable Universally Adjustable Tray with Drawer
Part #	Furniture
16M1216 3052765	MFP Caster Base Swivel Cabinet
Part #	Memory Options
1025041 1025042 1025043 14F0245 14F0102 30G0828 30G0825 30G0826 30G0827	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Fleak Card 80+GB Hard Disk Japanese Font Card Korean Font Card Simplified Chinese Font Card
Part #	Application Solutions
30G0829 16M1254 16M1253 16M0119	Lexmark PrintCryption Card X65x Card for IPDs and SCS/TNe X65x Forms and Bar Code Card X65x Card for PRESCRIBE Emulation
Part #	Connectivity
1021294	USB Cable (2-meter)


ions	1021231 14F0037 14F0042 14F0040 14T0145 14T0220 14F0000 14F0100	Parallel Cable (10-foot) MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8120 Gigabit Ethernet 100BaseFX, 10BaseFL Print Server MarkNet N8150 802,1110/jn Wireless Print Server MarkNet N8150 802,115 Wireless Print Server MarkNet Wir N7020e Gigabit Ethernet Print Server Parallel 1284-B Interface Card RS-2320 Certail Interface Card
	Part #	Extended Warranties
	2350539 2350540 2350541 2350542 2350543	2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service, Next B
	Part #	User Replaceable Parts
	40X4724 40X2665 40X2666 40X4540 40X3444 40X4605 40X5852 40X1886	T65x, X654e, X656e, X658e Fuser Maintenance Kit 110-120V Oil Fuser Wiper War Fuser Wiper ADF Pick Roll Assembly ADF Pleten Cushion ADF Separatur Roll and Guide Dual Charge Roll Assembly Transfer Roll Assembly
	401/4000	Dist. Dall Assessable

Pick Roll Assembly
X65x ADF Maintenance Kit

Lexmark X651de: Print, copy and scan functions only, Part #16M1255

In the box
Lexmark X652de Multifunction Laser Printer, Up to 7,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X656de



rait#	Wodel
16M1797	Lexmark X656de
Part #	Laser Toner/Print Cartridge
X654X11A	X654, X656, X658 Extra High Yield Return Program Print Cartridge
X651H11A	X65x High Yield Return Program Print Cartridge
X651A11A	X65x Return Program Print Cartridge
X654X04A	X654, X656, X658 Extra High Yield Return Program Print
	Label Applications
X651H04A	X65x High Yield Return Program Print Cartridge for Label Application
X654X21A	X654, X656, X658 Extra High Yield Print Cartridge
X651H21A	X65x High Yield Print Cartridge
X651A21A	X65x Print Cartridge
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
30G0800	250-Sheet Drawer
30G0804	2000-Sheet High Capacity Feeder
30G0802	550-Sheet Drawer
30G0854	5 inch (12.7 cm) Spacer
30G0871	200-Sheet Universally Adjustable Tray with Drawer
30G0860	400-Sheet Universally Adjustable Tray with Drawer
30G0849	550-Sheet Lockable Drawer
30G0836	200-Sheet Lockable Universally Adjustable Tray with Drawer
30G0859	400-Sheet Lockable Universally Adjustable Tray with Drawer
Part #	Furniture
16M1216	MFP Caster Base
3052765	Swivel Cabinet
Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245	256MB Flash Card
30G0828	Japanese Font Card
30G0825	Korean Font Card
30G0826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829	Lexmark PrintCryption Card
16M1254	X65x Card for IPDS and SCS/TNe
16M1253	X65x Forms and Bar Code Card


	101110110	ACON CALCION I TECONIDE ENGLISH
	Part #	Connectivity
ns	1021294 1021231 14F0037 14F0042 14F0040 14T0145 14T0220 14F0000 14F0100	USB Cable (2-meter) Parallel Cable (10-foot) MarkNet N8120 Gligabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Ser MarkNet N8150 802.11b/g/n Wireless Print Server Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gligabit Ethernet Print Server Parallel 1284 Interface Card R5-232C 284-8 Interface Card
	Part #	Extended Warranties
	2350557 2350558 2350559 2350560 2350561	Nears Total Onsite Service, Next Business Day Near Onsite Service Renewal, Next Business Day
	Part #	User Replaceable Parts
	40X4724 40X2665 40X2666 40X4540 40X3444 40X4605 40X5852 40X1886 40X4308 40X4769	T65x, X654e, X656e, X658e Fuser Maintenance Kit 110-120V OII Fuser Wiper Wax Fuser Wiper ADP Fick Roll Assembly ADP Flaten Cushion ADF Separator Roll and Guide Dual Charge Roll Assembly Transfer Roll Assembly Transfer Roll Assembly Fick Roll Assembly X65x ADF Maintenance Kit

X65x Card for PRESCRIBE Emulation

Other model available Lexmark X654de: Excludes 80GB hard disk, Part #16M1265

In the box
Lexmark X656de Multifunction Laser Printer, Up to 18,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X656dte



	(Caster Base required)
Paper Handling Standard	
Paper Handling Optional	

Part #	Model	16M0119	X65x Card for PRESCRIBE Emulation
16M1270	Lexmark X656dte	Part #	Connectivity
Part #	Laser Toner/Print Cartridge	1021294	USB Cable (2-meter)
X654X11A X651H11A X651A11A X654X04A for Label Appli X651H04A X654X21A X651H21A	X654, X656, X658 Extra High Yield Return Program Print Cartridge X65x High Yield Return Program Print Cartridge X65x Return Program Print Cartridge X654, X656, X658 Extra High Yield Return Program Print Cartridge cations X65x High Yield Return Program Print Cartridge for Label Applications X654, X656, X658 Extra High Yield Print Cartridge X654, X656, X658 Extra High Yield Print Cartridge	1021231 14F0037 14F0042 14F0040 14T0145 14T0220 14F0000 14F0100	Parallel Cable (10-foot) MarkNet N8120 Gigabit Ethernet Print MarkNet N8130 Fiber Ethernet 100Ba MarkNet N8150 802.11b/g/n Wireless Exemark N4050e 802.11g Wireless Pt MarkNet™ N7020e Gigabit Ethernet F Parallel 1284-B Interface Card 85.9320.5 Serial Interface Card
X651A21A	X65x Print Cartridge	Part #	Extended Warranties
Part #	Paper & Transparencies	2350557	2-Years Total Onsite Service, Next Bus
70X7240	Laser Printer Transparencies (Letter)	2350558	3-Years Total Onsite Service, Next Bus
Part #	Paper Handling	2350559 2350560	4-Years Total Onsite Service, Next Bus 5-Years Total Onsite Service, Next Bus
30G0802	550-Sheet Drawer	2350561	1-Year Onsite Service Renewal, Next E
30G0800 30G0854	250-Sheet Drawer 5 inch (12.7 cm) Spacer	Part #	User Replaceable Parts
30G0804	2000-Sheet High Capacity Feeder	40X4724	T65x, X654e, X656e, X658e Fuser Ma
30G0871	200-Sheet Universally Adjustable Tray with Drawer	40X2665	Oil Fuser Wiper
30G0860	400-Sheet Universally Adjustable Tray with Drawer	40X2666	Wax Fuser Wiper
30G0849	550-Sheet Lockable Drawer	40X4540	ADF Pick Roll Assembly
30G0836	200-Sheet Lockable Universally Adjustable Tray with Drawer	40X3444	ADF Platen Cushion
30G0859	400-Sheet Lockable Universally Adjustable Tray with Drawer	40X4605 40X5852	ADF Separator Roll and Guide Dual Charge Roll Assembly
Part #	Furniture	40X1886	Transfer Roll Assembly
16M1216	MFP Caster Base	40X4308	Pick Roll Assembly
3052765	Swivel Cabinet	40X4769	X65x ADF Maintenance Kit
Part #	Memory Options		
1025041	256MB DDR2-DRAM		
1025042	512MB DDR2-DRAM		
1025043	1024MB DDR2-DRAM		
14F0245	256MB Flash Card		
30G0828 30G0825	Japanese Font Card Korean Font Card		
30G0826	Simplified Chinese Font Card		
30G0827	Traditional Chinese Font Card		
Part #	Application Solutions		
30G0829	Lexmark PrintCryption Card		
16M1254	X65x Card for IPDS and SCS/TNe		
16M1253	X65x Forms and Bar Code Card		

	Part #	Connectivity
	1021294 1021231	USB Cable (2-meter) Parallel Cable (10-foot)
	14F0037 14F0042 14F0040	MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Serve MarkNet N8150 802.11b/g/n Wireless Print Server
ns	14T0145 14T0220	Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server
	14F0000 14F0100	Parallel 1284-B Interface Card RS-232C Serial Interface Card
	Part #	Extended Warranties
	2350557 2350558 2350559 2350560 2350561	2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal
	Part #	User Replaceable Parts
	Part # 40X4724 40X2665 40X2666 40X4540 40X3444 40X4605 40X5852 40X1886 40X4769	User Replaceable Parts T65x, X564, K56e, X65e Fuser Maintenance Kit 110-120V Oil Fuser Wiper Wax Fuser Wiper ADF Pick Roll Assembly ADF Patten Cushion ADF Separator Roll and Guide Dual Charge Roll Assembly Transfer Roll Assembly Pick Roll Assembly Pick Roll Assembly N65x ADF Maintenance Kit

Lexmark X656dte Multifunction Laser Printer, Additional 550-sheet drawer, Up to 18,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark's 1-Year Onsite Service, Next Business Day warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using Original Lexmark Supplies, Service and Parts.



Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle

Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex printing, Print and Hold, multi-up and support of recycled paper help reduce paper consumption Eco-Mode reduces power consumption and Quiet Mode reduces noise
- High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste

