

This manual is for reference and historical purposes, all rights reserved.

This page is copyright© by M. Butkus, NJ.

This page may not be sold or distributed without the expressed permission of the producer

I have no connection with any camera company

On-line camera manual library

This is the full text and images from the manual. This may take 3 full minutes for the PDF file to download.

If you find this manual useful, how about a donation of \$3 to: M. Butkus, 29 Lake Ave., High Bridge, NJ 08829-1701 and send your e-mail address so I can thank you. Most other places would charge you \$7.50 for a electronic copy or \$18.00 for a hard to read Xerox copy.

This will allow me to continue to buy new manuals and pay their shipping costs.

It'll make you feel better, won't it?

**If you use Pay Pal or wish to use your credit card,
click on the secure site on my main page.**

www.orphancameras.com




TOPCON
uni

ELECTRIC-EYE PICTURE-TAKING

- 1. Set film speed (ASA 25 to 400 or DIN 15 to 27).**
- 2. Set shutter speed (1/8 to 1/500 sec.).**
- 3. Set aperture ring to AUTO.**
- 4. Advance film winding lever.**
- 5. View-focus through the lens, and check aperture reading.**
- 6. Press shutter release button.**

IMPORTANT

- 1. Don't touch the surface of the lens, mirror, eyepiece, as well as exposure window.**
- 2. Stroke the film winding lever all the way - until it stops.**
- 3. Wait until the shutter action is completed before stroking the film winding lever.**
- 4. Cover the lens when not in use.**
- 5. Don't force movements but re-read instructions once more.**
- 6. If your TOPCON UNI camera needs repair, don't do it yourself but contact the nearest authorized dealer.**



CONTENTS

TOPCON UNI CAMERA	1
SPECIFICATION.....	3
NOMENCLATURE	5
CORRECT EXPOSURE	9
ELECTRIC-EYE AUTOMATION	9
COUPLED EXPOSURE SETTING	11
FREE EXPOSURE SETTING	15
SHUTTER ACTION	16
SELF-TIMER	17
CABLE RELEASE	17
VIEW-FOCUSING	18
COMPOSITION.....	18
FOCUSING	18
DEPTH OF FIELD	20
INFRARED INDEX	34
HOLDING THE CAMERA	35
HORIZONTAL HOLDING POSITION	35
VERTICAL HOLDING POSITION.....	36
FILM LOADING	37
OPENING CAMERA	37
LOADING CAMERA	37

CLOSING CAMERA	38
ADVANCING THE FILM	39
EXPOSURE COUNTER	40
FILM SPEED INDICATOR	40
FILM UNLOADING	42
REWINDING	42
UNLOADING	42
LENS EXCHANGE	43
STANDARD LENS	44
WIDE-ANGLE LENS	44
TELEPHOTO LENSES	44
REMOVING THE LENS	45
ATTACHING THE LENS	45
LENS COVERS	45
FLASH PHOTOGRAPHY	46
FLASH ILLUMINATION	46
FLASH SYNCHRONIZATION	47
FLASH EXPOSURE	47
ACCESSORIES	49
EXCHANGE OF BATTERY	58
STORAGE & CARE	59

TOPCON UNI CAMERA

Congratulations on your choice of the TOPCON UNI camera which has been designed by our engineers and optical scientists as an ideal camera fulfilling the following basic requirements:—

1. Single lens reflex—for viewing and focusing of the exact subject image as it will be captured on the film.
2. Electric-Eye automation—for automatically setting the correct exposure to the camera simply by pointing it at the subject.
3. Complete lens interchangeability—for changing from the standard to the wide-angle or telephoto as the requirements of the picture may demand.
4. Superior UV lens coating—for producing crisper black-and-white shots and true-to-life color pictures.

But, besides these basic requirements, the camera also incorporates all the complicated mechanism that make picture-taking completely automatic, such as:—

1. Fully automatic instant re-opening lens diaphragm action—for holding the lens at wide aperture, for view-focusing ease, but stopping it down automatically to the selected aperture for the shutter action and then re-opening it once more to wide aperture.
2. Quick-as-a-wink mirror action—which, in coupled action with the automatic lens diaphragm action, swings the mirror up and out of the way for shooting and then snaps it down once more, quick-as-a-wink, for view-focusing.
3. Single stroke film winding lever action—not only advances the film one frame, but advances the exposure counter, charges the shutter and sets up the automatic lens diaphragm action.

4. Automatic re-setting additive exposure counter.

5. Automatic pop-up rewind button.

But, of course, the biggest difference of the TOPCON UNI camera is the built-in CdS thru-the-lens light metering system, which gives one of the most precise exposure readings possible—because it always reads the light coming through the lens (standard or interchangeable lenses, filters, etc.) and falling on the reflex mirror. The CdS cell is built-in behind the reflex mirror (and is, in fact, an integral layer of the mirror) and reads the light coming through narrow unsilvered slits on the mirror surface.

And, as an additional bonus, the camera also has:—

1. Complete electric-eye automation with all interchangeable lenses.
2. Special UV filter effect on all interchangeable lenses.
3. Aperture scale visible in finder, even with electric-eye automation.
4. Manual over-ride of electric-eye automa-

tion for shutter coupled exposure settings or complete freedom in exposure settings.

In other words, the camera is the ideal family camera because it can be used by every member of the family, from the person who wants an automatic camera to take care of all exposure setting problems, the person who wants a built-in exposure meter coupled to the camera for some freedom to adjust exposures, the person who wants a camera with a choice of wide-angle or telephoto lenses, which are not auxiliary lenses or which leave behind some component and merely exchange the front elements, to the person who would just rather set exposures according to experience,—because the camera is not a simple automatic camera but a well-built and designed camera which will satisfy even the demands of the advanced amateur.

While operation is very simple, may we suggest that you read the instructions through carefully so that you familiarize yourself with its working parts before you even load film in the camera.

SPECIFICATION

Lens:

UV Topcor 1:2 f-53mm 6 element standard lens. Fully automatic instant re-opening lens diaphragm. Straight helicoid focusing from 70cm to infinity. Bayonet mount lens interchangeability of complete lens.

Apertures: f/2, 2.8, 4, 5.6, 8, 11, 16 and 22.

Shutter:

SEIKOSHA SLV behind-lens type.

Speeds: B, 1, 1/2, 1/4, 1/8, 1/15, 1/30, 1/60, 1/125, 1/250 & 1/500 sec.
MXV-switch (for M and X settings flash synchronization and self-timer).

Finder:

Fixed eye-level Pentaprism finder, with $0.75\times$ image (standard lens), and $34.5\times 23\text{mm}$ finder screen.

With TOKOBRITE fresnel lens plate and micro-prism focusing spot.

Meter needle and aperture scale, indicates aperture readings.

Exposure:

AUTO—Electric-eye automation.

Range: EV 5 to EV 18, with ASA 100 film.

Film speeds: ASA 25 to 400 (DIN 15 to 27).

Shutter speeds: 1/8 to 1/500 sec.

COUPLED—Shutter coupled exposure setting.

Range: EV 5 to EV 18, with ASA 100 film.

Film speeds: ASA 25 to 400 (DIN 15 to 27).

Shutter speeds: 1/8 to 1/500 sec.

MANUAL—Complete freedom in apertures/shutter speeds.

Range: EV 2 to EV 18, with ASA 100 film.

Film speeds: ASA 25 to 400 (DIN 15 to 27).

Shutter speeds: B, 1 to 1/500 sec.

Film Winding:

180° single stroke.

Other Features:

Red warning area indicating automatic exposure is not possible (shutter may be released).

Wink mirror system (instant return mirror action).

Automatic pop-up rewind button.


Fixed accessory shoe.

Size & Weight:


With standard lens: 136mm×93mm×84mm; 840 grams.

NOMENCLATURE


- ① Film winding lever
- ② Exposure counter scale
- ③ Exposure counter index
- ④ Rewind knob
- ⑤ Rewind crank
- ⑥ Shutter release button
- ⑦ Shutter speed ring
- ⑧ Aperture ring
- ⑨ Depth of field scale
- ⑩ Infrared index
- ⑪ Distance (aperture) index
- ⑫ Distance scale
- ⑬ Distance focusing ring
- ⑭ Film plane indicator
- ⑮ Eyepiece
- ⑯ Accessory shoe




- ⑰ Shoulder strap lug
- ⑱ Back cover lock
- ⑲ Rewind button
- ⑳ Film speed scale
- ㉑ Film speed adjustment catch
- ㉒ Film speed index
- ㉓ Lens locking lever
- ㉔ Tripod socket



- ②5 Film cartridge shaft
- ②6 Film take-up spool slit
- ②7 Film take-up spool serrated flange
- ②8 Film transport sprocket
- ②9 Film pressure plate
- ③0 Back cover lock
- ③1 Back cover catch



- ③② Flash socket
- ③③ MXV-switch
- ③④ Battery cover



CORRECT EXPOSURE

One of the most important factor for taking better pictures is correct exposure, which is the relationship between—

1. The shutter speed, and
2. The aperture (lens opening), as decided by
3. The brightness of the subject, and dependent on
4. The sensitivity (speed) of the film loaded in the camera.

In other words, it is important to be able to correctly judge the brightness of the subject, in order to determine the correct aperture to be used, because film speed is pre-determined by the film used and shutter speed is, more often than not, decided by the action of the subject.

Three methods of setting the correct exposure adjustments to the lens and shutter are possible in your camera—

1. Electric-eye automation.
2. Coupled exposure setting.
3. Free exposure setting.

ELECTRIC-EYE AUTOMATION:

Presuming that the film is already loaded in the camera and the film speed set to the camera, the only actions required for taking pictures are:—

1. Set the shutter speed ring (7) to one of red-colored speeds $1/500$ to $1/8$ sec., by revolving the ring until the required speed is opposite the index.

The shutter speeds will click-stop into place.

Use the shutter speed guide for choosing the most suitable speed for the lighting condition or action.

2. Set the aperture ring (8) to AUTO, which will set the electric-eye system into operation.

SHUTTER SPEED GUIDE

Lighting	Film Speed (ASA) (DIN)	25	32	50	100	200	400
		15/10	16/10	18/10	21/10	24/10	27/10
Bright Sun on Sand or Snow		1/125	1/125	1/250	1/500	1/500	1/500
Bright Sun Strong Shadows		1/125	1/125	1/125	1/250	1/250	1/500
Hazy Sun Weak Shadows		1/125	1/125	1/125	1/125	1/250	1/250
Cloudy Bright No Shadows		1/60	1/60	1/60	1/60	1/60	1/125
Open Shade Under Clear Blue Sky		1/60	1/60	1/60	1/60	1/60	1/125
Cloudy Rain		1/30	1/30	1/30	1/30	1/30	1/60



3. Check the aperture scales seen on the left border of the finder and if the exposure needle is not in the red warning areas and is satisfactory, press the shutter button (6), and the picture will be taken. If the exposure needle is in the top red area, the picture will be under-exposed, while, if in the bottom red area, the picture will be over-exposed. If the former, revolve the shutter speed ring to the left, and, if the later, to the right, which will

have the effect of moving the exposure needle towards the middle area, in both cases, where the picture can be taken.

When revolving the shutter speed ring, in the above instances, do not move the shutter speed scale outside the 1/500 to 1/8 sec. range.

The shutter can be released even when the needle is in the red areas so the position of the needle must always be checked.

Of course, it is taken for granted that the film winding lever is also advanced, as well as view-focusing being undertaken, before the shutter is released.

COUPLED EXPOSURE SETTING:

When the subject has too much contrast, or the back-light is brighter than the front-light, or if you want to take a close-up reading and then move back for the shot, or otherwise want to adjust the aperture setting to take into account possible over- or under-ex-

posure on electric-eye automation, try coupled exposure setting:—

1. Set the shutter speed to one of the red-colored shutter speeds, i.e., from 1/500 to 1/8 sec., the same as for electric-eye automation.
2. Take the aperture ring off AUTO, by revolving it to any other setting on the ring.
3. Point the camera lens at the subject and read the aperture setting indicated on the aperture scale in the finder.
4. Transfer the aperture reading to the aperture ring, i.e., revolve the aperture ring until the same aperture is opposite the index (11), or modify it and then transfer it, if this is required.
5. Press the shutter release button.

Incidentally, if the exposure needle is in the red warning areas, revolve the shutter speed ring, in the same manner noted for electric-

eye automation, but within the range 1/500 to 1/8 sec., and find the right combination of shutter speed and aperture.

Coupled exposure setting is suitable for those shots in which—

1. The background is very light and covers a greater area than the main subject of interest, which is also darker; because the exposure reading will be dominated by the lighter background and the main interest will be under-exposed. For example, shots against distant scene, or against snowscapes, etc.
2. The opposite of the above, such as in night clubs, circuses, etc., in which the reading will be dominated by the darker background and the main interest will be over-exposed.
3. The main subject is back-lighted, because the subject's face will not be illuminated by the main light and will be under-exposed, if the reading is taken for the full

subject area.

4. The main subject is in the shade, because the reading will again be dominated by the surrounding light and will thus be under-exposed.

For the above shots, as well as for other shots, the exposure reading should be taken as follows:—

1. Landscape: Shield the camera taking lens (34) from the light reflected by the sky and point it so that it will be taking a reading of an area having less sky than the general overall scene, because the sky is much brighter than the general scene and if too much sky is included the overall effect will be under-exposure.
2. Subject against the open sky: When shooting airplanes, flags, buildings, etc., against an open expanse of sky, take an exposure reading of a similar object with the light striking it at the same angle as the subject and modify it by 1/2 stop less.

3. Contrasty subject: First decide what effect you are looking for in the final picture and take an exposure reading of the portion which interests you the most, letting the contrasty portion (lighter or darker portion) get lighter or darker, as the case may be.
4. Inaccessible subjects: If the subject is too far off, take an exposure reading of a similar subject (i.e., same texture and lighting condition) at close distance.
5. Back-lighted subject: The best method is to move in and take a close-up exposure reading of the front-lighted subject area only, using care to see that the back-light does not effect the reading. Otherwise, modify the exposure reading taken at the picture-taking position 3 or 4 times to take into account the excessive contrast between the back-light and the front-lighted area.

Note:

(1) When using the f/3.5 wide-angle or f/4 telephoto lenses, it is not possible to take shots at larger apertures than the maximum aperture of the lens attached to the camera. Thus, if the exposure needle indicates a reading of f/2 or f/2.8, etc., the shutter speed ring should be revolved to a slower speed, in order to coincide the needle to a suitable aperture smaller than the maximum aperture of the taking lens.

(2) When using film other than ASA 100 and 200 sensitivities, the exposure reading can be unsuitable even when the exposure needle is not in the red warning areas, especially when a fast film is used at a slow shutter speed, or a slow film used at the fastest shutter speed, as in following specific instances, which should not be used:—

ASA 400 film f/2 & 1/8 sec.

ASA 50 film f/22 & 1/500 sec.

ASA 25 film f/16 & 1/500 sec.

(3) For setting a slower shutter speed than 1/8 sec., use the aperture reading for 1/8 sec. but re-adjust, by stopping down the lens diaphragm by the same number of steps as the exposure time is increased, as follows:—

Shutter speed: 1/8—1/4—1/2—1

Aperture: 4—5.6—8—11

(4) When exposure readings are taken in extremely bright places, such as at the seashore or in the desert, with the fast f/2 standard lens attached to the camera, it may be found upon development that the negative is slightly over-exposed, due to the fact that the subject brightness was greater than the measuring range of the exposure meter.

To prevent such errors, it is recommended that a neutral density filter

of 4× or 8× is attached to the filter mount of the lens to cut down on the intensity of the light passing through the lens, when the subject brightness is more than EV 15 (say, f/11 and 1/250 sec., with ASA 100 film).

FREE EXPOSURE SETTING :

When exposure settings are not possible by electric-eye automation or coupled exposure setting, it will be possible to use time exposures by setting the shutter speed ring to B (for bulb), in which case the shutter will remain open as long as the shutter release is pressed down.

Although only full numbers are used on the ring, it should be remembered that 500 is 1/500 sec., and 1 is a full 1 sec. and that, therefore, the larger number is the faster speed, meaning that the shutter remains open only for a 1/500 sec. duration during which time the light passes only 1/2 as long as the

preceding larger number and vice versa; thus if lighting conditions remain unchanged, decreasing the speed will mean that the aperture will have to be opened to compensate for less light.

The choice of shutter is dependent on the lighting condition, as well as the need for stopping action. The brighter the light, the faster the speed that may be used, and vice versa. On the other hand, for stopping action, it should be noted that (1) a faster speed is required for a speedier subject, (2) a faster speed is needed for movement nearer to the camera, (3) a faster speed is required for a subject moving parallel to the camera, while a slower speed may be used for movement towards or away from the camera, and (4) the degree of stopping required will also determine the speed to be used.

The aperture ring has apertures or openings, called f/numbers, with exposure ratios, as follows:—

Aperture	2	2.8	4	5.6	8	11	16	22
Exposure ratio	1/4	1/2	1	2	4	8	15	30

The aperture or lens opening controls the amount of light that enters the lens and passes through to the film plane, by adjusting the lens opening as required. It can be seen that the larger numbers are the smaller openings and vice versa and that each smaller aperture permits only 1/2 the amount of light of the preceding larger aperture and that, therefore, if lighting conditions remain unchanged, stopping down will require a corresponding increase in the shutter speed.

In other words, if the shutter speed is originally set to 1/60 sec. for f/8, then it must be increased to 1/125 if the aperture is opened to f/5.6 or to 1/30 if the aperture is stopped down to f/11.

Exposure settings in this case will have to be decided by:

1. Using a suitable exposure meter, or,
2. Using an exposure chart, such as is usual-

ly included with the film, or,

3. Making your decision based on past experience.

SHUTTER ACTION:

Since all the UV TOPCOR lenses are equipped with the fully automatic lens diaphragm action, the lens opening is always opened at the widest aperture for view-focusing ease. This means that the lens diaphragm must automatically close down to the required opening when the shutter button is pressed, and then open immediately back to the widest aperture—but, besides this, there are various other related actions which all take place in less than 1/10th of a second when the shutter is pressed, such as:—

1. The shutter blades close down completely.
2. The reflex mirror rises, the film blind opens fully and the lens diaphragm is stopped down.
3. The shutter blades open and close (for taking the picture).
4. The film blind opens, the mirror returns

to reflex viewing position, and the lens diaphragm opens fully.

5. The shutter blades open fully.

The action of the lens diaphragm is the result of the "fully automatic instant re-opening lens diaphragm action", while that of the reflex mirror is the product of the "quick-as-a-wink mirror action", both of which are required to produce the fast action required for taking the picture without loss of image.

When using slow shutter speeds, always wait until the shutter action is finished before advancing the film winding lever.

SELF-TIMER :

For the purpose of delaying the actual shutter release action for 10 sec., after the shutter release button is pressed, use the built-in self-timer. After all preparations for taking the exposure have been completed, shift the MXV-switch (33) until V is aligned with the index, and then press the shutter release button as usual.

By utilizing the self-timer, it will be possible

to take your own photograph, or hold lighting equipment or reflector, or used it for minimizing camera vibration on the tripod.

Even when the self-timer is used, Electric-Eye automation takes place and the correct exposure for the lighting condition when the shutter is released is set to the camera.

Always return the MXV-switch to X-setting when not in use.

CABLE RELEASE :

When using the camera on the tripod, etc., use a cable release screwed into the shutter release socket, instead of pressing the shutter button, as it will eliminate camera vibration.

VIEW-FOCUSING

Two other important factors for getting better pictures are:—

1. Correct composition of the subject within the film negative area, and
2. Accurate focusing of the image on the film plane.

Both these factors are taken care of by a single system, i.e., view-focusing through the lens, in your camera.

COMPOSITION:

Since the reflected light from the subject, which passes through the camera lens to the film plane for taking the picture, is intercepted by the reflex mirror, which is placed in the light path, and reflected upwards to the finder's focusing screen:—

1. Parallax is completely eliminated, because the viewing and taking lens are the same, and you can compose exactly as it will

be taken in the picture, and

2. The same area seen in the finder will be covered in the final picture.

Furthermore, the eye-level Pentaprism finder, which reverses the laterally reversed image reflected upwards by the reflex mirror, gives the following advantages:—

1. A right side up laterally correct image, moving in the same direction as the actual subject, is especially valuable for moving subjects.
2. Because of the erect laterally correct image, both eyes can be used, one for looking through the finder and one for viewing the general scene.
3. Eye-level viewing also means correctly lateral and erect images in vertical formats.

FOCUSING:


Since view-focusing is through the camera

lens, all focusing adjustments are made directly on the lens itself by revolving the distance focusing ring (13), and checking the effect on the focusing screen in the finder.


The focusing screen has:—

1. A micro-prism focusing spot.
2. A fine focus ring, around the spot.
3. A full-area ground glass, boosted by fresnel lens.

Micro-Prism Focusing Spot : The focusing spot in the center is made up of numerous microscopic prisms which break up the image



In Focus



Not in Focus

when it is not in focus so that the image is seen indistinct and blurred. When the distance focusing ring is revolved and the subject is accurately focused, the image in the focusing spot will be seen distinctly and sharply.

Subjects with linear features will be particularly effective for focusing because the straight lines will look ragged and broken up when out of focus but will be seen straight when in focus.

When in doubt, revolve the distance focusing ring either ways from what is considered optimum focusing and check the effect.

Fine Focus Ring : Around the micro-prism focusing spot can be seen a clear ring which is made of extra-fine ground glass only. This ring may also be used, either singly or in combination with the focusing spot, for focusing of subjects without linear features.

When the distance ring is revolved and the subject is correctly focused, the finder image will be seen distinctly and sharply, while, if

focusing is not correct, the subject will be seen blurred and indistinctly. As with the focusing spot, revolve either ways of the optimum focus to check whether focusing is correct or not.

Full-Area Ground Glass: The full-area of the focusing screen, except for the focusing spot and fine focus ring, is fine ground glass backed by a fresnel plate lens for obtaining a brilliantly illuminated subject field from edge-to-edge, without dark corners. In other words, the whole subject area is always distinctly seen and may be focused on the full ground glass area.


Focusing is done in the same manner as for the fine focus ring and focusing spot.

For speedier focusing, use the full focusing screen, combining all the focusing means, i.e., focusing spot plus fine focus ring plus full ground glass, because it will also mean that composition and focusing can be undertaken at the same time.

The distance actually focused can be checked by reading the distance scale (12) opposite the distance index (11).

DEPTH OF FIELD:

When you have focused on a certain subject (plane), it will be seen that not only that subject but other subjects, both in front and behind the main interest, will also be seen sharply, although this will not be true for everything before or behind the main interest.



In other words, when a subject has been focused at a certain distance, the lens presents an apparently sharp image not only at the focused distance but also at somewhat farther and nearer distances. This zone of apparent sharpness is known as the depth of field and the rules governing the extent of the depth of field are :—

1. The depth of field is greater as the diaphragm (aperture) is closed down, and least as the diaphragm is opened up. In other words, the wide-open aperture of the fully automatic lens always shows the least depth of field and is valuable for precise focusing.
2. The depth of field is greater as the focused distance increases and least as the camera-to-subject distance decreases.
3. The depth of field is greater behind the focused subject (in the background) and shallower before the focused subject (in the foreground) but grows progressively

equal as the focusing distance gets shorter.

4. The depth of field increases when the wide-angle lens is attached and decreases when the telephoto lens is used, both in comparison to the standard 53 mm lens.

The depth of field of the lens can be utilized for getting pictures with backgrounds or foregrounds out of focus, or for getting subjects in the foreground and background sharply, or for covering the deepest possible range in action shots, etc.

Depth of Field Scale : The depth of field scale (9), on the lens barrel, is utilized for checking the scope of the depth of field because it shows at a glance the zone of apparent sharpness at any lens opening or distance.

The depth of field scale is next to the distance scale (12) and is made up of identical pairs of apertures on both sides of the dis-

tance index (11), which also represents the widest aperture of $f/2$. These identical pairs of apertures indicate the distance that will be in focus at these lens opening.

1. Finding the depth of field: For example, if the lens opening is $f/11$ and the distance focused is 10 meters (as in the illustration), read the distances opposite the aperture $f/11$ (the line between 8 and 16) on both sides of the depth of field scale which will show that the depth of field extends from approximately 4.5 meters to infinity. On the other hand, if greater depth of field is required, see which lens opening will cover the required field. If, for example, the zone should extend from 3 meters, it will be seen that $f/22$ will give the required depth of field which will be from about 3 meters to infinity. Of course, shutter speed will have to be decreased to compensate for the reduction in the effective amount of light.

2. Zone focusing: When it is required to cover two subjects at different distances from the camera, first focus on the nearest subject, for example, 2 meters, and then the farther subject, say, 5 meters, both found with the distance scale. Next, revolve the distance focusing ring until these distances are opposite identical apertures (approx. $f/16$, in this case) and use this lens opening for the shot.

3. Fast zone focusing: When there is not enough time for finding the two limits for the above zone focusing method, focus on a subject about two-fifths of the way into the required zone of sharpness and choose an aperture which will give sufficient sharpness over the whole field.

Increase the depth of field, whenever possible, by stopping down the lens opening rather than by increasing the focusing distance, or

by using the wide-angle lens.

Depth of Field Table: For greater accuracy in the depth of field, because the depth of field scale figures are in round sums, use the depth of field tables on pages 24 to 33.

In all instances, measure the distances from the focal or film plane (indicated by the marking (14) on the camera's top deck) to the main subject.

For critical pin-point sharpness, always use wide aperture and focus on the main plane, because everything within the depth of field is not of equal sharpness but, on the contrary, grows less sharp as it gets farther from the plane of focus.

DEPTH OF FIELD TABLE (distances in feet)

UV Topcor F/2 53mm

1/30mm

Aperture \ Distance	2	2.8	4	5.6	8	11	16	22
∞	$\infty \sim 141.3$	$\infty \sim 101.1$	$\infty \sim 70.8$	$\infty \sim 50.7$	$\infty \sim 35.6$	$\infty \sim 26.0$	$\infty \sim 18.0$	$\infty \sim 13.2$
30	38.0~24.8	42.5~23.2	51.8~21.2	73.2~19.0	193.8~16.4	$\infty \sim 14.0$	$\infty \sim 11.4$	$\infty \sim 8.92$
15	16.7~13.6	17.5~13.1	18.9~12.4	21.1~11.7	25.7~10.7	35.2~9.62	93.4~8.30	$\infty \sim 7.13$
10	10.7~9.37	11.0~9.14	11.6~8.81	12.3~8.42	13.7~7.89	16.0~7.32	22.2~6.54	42.0~6.07
8	8.45~7.60	8.65~7.45	8.96~7.23	9.41~6.97	10.2~6.61	11.4~6.20	14.1~5.64	20.1~5.09
6	6.24~5.77	6.35~5.69	6.51~5.57	6.74~5.41	7.13~5.20	7.67~4.95	8.81~4.59	10.7~4.23
5	5.17~4.85	5.24~4.79	5.34~4.70	5.50~4.59	5.74~4.44	6.09~4.26	6.77~4.00	7.83~3.72
4	4.10~3.90	4.14~3.87	4.21~3.81	4.30~3.74	4.45~3.64	4.64~3.52	5.02~3.35	5.57~3.16
3.5	3.58~3.43	3.61~3.40	3.66~3.36	3.72~3.30	3.83~3.23	3.97~3.14	4.24~3.00	4.61~2.85
3	3.05~2.95	3.08~2.93	3.11~2.90	3.16~2.86	3.23~2.80	3.33~2.74	3.51~2.63	3.75~2.52
2.5	2.54~2.47	2.55~2.45	2.57~2.43	2.60~2.41	2.65~2.37	2.72~2.32	2.83~2.25	2.98~2.17
2.25	2.28~2.22	2.29~2.21	2.31~2.20	2.33~2.17	2.37~2.14	2.42~2.11	2.50~2.05	2.62~1.99

DEPTH OF FIELD TABLE (distances in meters)

UV Topcor F/2 53mm

1/30mm

Aperture Distance	2	2.8	4	5.6	8	11	16	22
∞	∞ ~ 43.1	∞ ~ 30.8	∞ ~ 21.6	∞ ~ 15.5	∞ ~ 10.8	∞ ~ 7.92	∞ ~ 5.47	∞ ~ 4.01
10.0	13.0 ~ 8.14	14.7 ~ 7.58	18.5 ~ 6.87	28.3 ~ 6.11	∞ ~ 5.24	∞ ~ 4.46	∞ ~ 3.57	∞ ~ 2.89
5.0	5.64 ~ 4.49	5.94 ~ 4.32	6.47 ~ 4.08	7.33 ~ 3.81	9.19 ~ 3.45	13.5 ~ 3.10	63.0 ~ 2.65	∞ ~ 2.26
3.0	3.21 ~ 2.81	3.31 ~ 2.75	3.46 ~ 2.65	3.69 ~ 2.53	4.10 ~ 2.38	4.76 ~ 2.21	6.54 ~ 1.97	9.28 ~ 1.75
2.0	2.09 ~ 1.92	2.13 ~ 1.89	2.19 ~ 1.84	2.28 ~ 1.79	2.42 ~ 1.71	2.63 ~ 1.62	3.08 ~ 1.49	4.19 ~ 1.37
1.5	1.55 ~ 1.45	1.57 ~ 1.44	1.60 ~ 1.41	1.65 ~ 1.35	1.72 ~ 1.33	1.82 ~ 1.28	2.02 ~ 1.20	2.33 ~ 1.12
1.2	1.23 ~ 1.17	1.24 ~ 1.16	1.26 ~ 1.14	1.29 ~ 1.12	1.33 ~ 1.09	1.39 ~ 1.06	1.50 ~ 1.01	1.66 ~ 0.95
1.0	1.02 ~ 0.98	1.03 ~ 0.97	1.04 ~ 0.96	1.06 ~ 0.95	1.09 ~ 0.93	1.12 ~ 0.90	1.19 ~ 0.87	1.29 ~ 0.83
0.9	0.92 ~ 0.88	0.92 ~ 0.88	0.93 ~ 0.87	0.95 ~ 0.86	0.97 ~ 0.84	1.00 ~ 0.82	1.05 ~ 0.79	1.12 ~ 0.76
0.8	0.81 ~ 0.79	0.82 ~ 0.78	0.83 ~ 0.78	0.84 ~ 0.77	0.85 ~ 0.75	0.87 ~ 0.74	0.91 ~ 0.72	0.96 ~ 0.69
0.7	0.71 ~ 0.69	0.71 ~ 0.69	0.72 ~ 0.68	0.73 ~ 0.68	0.74 ~ 0.67	0.75 ~ 0.65	0.78 ~ 0.64	0.82 ~ 0.62

DEPTH OF FIELD TABLE (distances in feet)

UV Topcor F/4 200mm

1/30mm

Aperture Distance	4	5.6	8	11	16	22
∞	∞ ~941	∞ ~672	∞ ~471	∞ ~343	∞ ~237	∞ ~173
200	254~165	284~154	347~141	481~127	135~109	∞ ~93.0
100	112~90.5	117~87.2	127~82.7	141~77.7	173~70.7	240 ~63.7
70	75.5~65.3	78.0~63.5	82.0~61.1	87.7~58.4	99.1~54.3	117 ~50.1
50	52.7~47.6	53.9~46.7	55.8~45.4	58.3~43.8	63.1~41.5	70.1~39.0
40	41.7~38.4	42.4~37.8	43.6~37.0	45.1~36.0	47.9~34.4	51.8~32.7
30	30.9~29.1	31.3~28.8	31.9~28.3	32.9~27.7	34.2~26.8	36.1~25.8
25	25.7~24.4	25.9~24.2	26.3~23.8	26.9~23.4	27.8~22.8	29.0~22.0
20	20.4~19.6	20.6~19.5	20.8~19.3	21.2~19.0	21.7~18.6	22.5~18.1

DEPTH OF FIELD TABLE (distances in meters)

UV Topcor F/4 200mm

1/30mm

Aperture Distance	4	5.6	8	11	16	22
∞	∞ ~287	∞ ~205	∞ ~144	∞ ~105	∞ ~72.1	∞ ~52.6
50	60.5~42.6	66.1~40.3	76.6~37.2	95.9~33.9	165~29.6	∞ ~25.7
30	33.5~47.2	35.1~26.2	37.8~24.9	42.0~23.4	51.3~21.3	70.3~19.2
20	21.5~28.7	22.1~18.3	23.2~17.6	24.6~16.9	27.6~15.8	32.2~25.4
15	15.8~14.3	16.2~14.0	16.7~13.6	17.4~13.2	18.9~12.5	20.9~11.8
12	12.5~11.5	12.7~11.4	13.1~11.1	13.5~10.8	14.3~10.4	15.5~9.85
10	10.3~9.68	10.5~9.56	10.7~9.38	11.0~9.17	11.5~8.84	12.3~8.47
8	8.22~7.80	8.30~7.72	8.44~7.61	8.62~7.47	8.94~7.25	9.36~7.01
7	7.16~6.85	7.23~6.79	7.33~6.70	7.47~6.59	7.70~6.42	8.01~6.23
6	6.12~5.89	6.17~5.85	6.24~5.78	6.34~5.70	6.50~5.58	6.71~5.44

DEPTH OF FIELD TABLE (distances in feet)

UV Topcor F/4 135mm

1/30mm

Aperture \ Distance	4	5.6	8	11	16	22
∞	$\infty \sim 419.61$	$\infty \sim 299.97$	$\infty \sim 210.24$	$\infty \sim 153.14$	$\infty \sim 105.56$	$\infty \sim 77.01$
100	132.36 ~ 80.29	151.97 ~ 74.41	195.28 ~ 67.02	302.91 ~ 59.61	2191.05 ~ 50.30	$\infty \sim 42.32$
50	56.65 ~ 44.77	59.85 ~ 42.97	65.39 ~ 40.54	73.98 ~ 37.87	94.82 ~ 34.14	143.69 ~ 30.55
30	32.24 ~ 28.06	33.24 ~ 27.35	34.86 ~ 26.36	37.13 ~ 25.22	41.67 ~ 23.53	48.88 ~ 21.78
20	20.96 ~ 19.13	21.37 ~ 18.81	22.01 ~ 18.34	22.88 ~ 17.79	24.50 ~ 16.94	26.78 ~ 16.03
15	15.52 ~ 14.51	15.74 ~ 14.33	16.08 ~ 14.06	16.53 ~ 13.74	17.35 ~ 13.24	18.44 ~ 12.69
12	12.33 ~ 11.69	12.46 ~ 11.57	12.67 ~ 11.40	12.94 ~ 11.19	13.43 ~ 10.86	14.06 ~ 10.50
10	10.22 ~ 9.79	10.31 ~ 9.71	10.45 ~ 9.59	10.63 ~ 9.44	10.95 ~ 9.21	11.36 ~ 8.95
8	8.14 ~ 7.87	8.19 ~ 7.82	8.28 ~ 7.74	8.39 ~ 7.65	8.58 ~ 7.50	8.82 ~ 7.33
7	7.10 ~ 6.91	7.14 ~ 6.86	7.21 ~ 6.81	7.29 ~ 6.74	7.43 ~ 6.62	7.61 ~ 6.49
6	6.07 ~ 5.93	6.10 ~ 5.90	6.15 ~ 5.86	6.20 ~ 5.83	6.30 ~ 5.73	6.43 ~ 5.64
5	5.05 ~ 4.95	5.07 ~ 4.93	5.10 ~ 4.91	5.13 ~ 4.87	5.20 ~ 4.82	5.28 ~ 4.76

DEPTH OF FIELD TABLE (distances in meters)

UV Topcor F/4 135mm

1/30mm

Aperture Distance	4	5.6	8	11	16	22
∞	$\infty \sim 127.9$	$\infty \sim 91.4$	$\infty \sim 64.1$	$\infty \sim 46.7$	$\infty \sim 32.2$	$\infty \sim 23.5$
30	39.1 ~ 24.3	44.6 ~ 22.6	56.3 ~ 20.5	84.3 ~ 18.3	609.8 ~ 15.6	$\infty \sim 13.2$
20	23.7 ~ 17.3	25.5 ~ 16.5	29.0 ~ 15.3	34.9 ~ 14.1	53.1 ~ 12.4	142.4 ~ 10.9
10	10.8 ~ 9.29	11.2 ~ 9.04	11.8 ~ 8.68	12.7 ~ 8.28	14.4 ~ 7.68	17.3 ~ 7.07
5	5.19 ~ 4.82	5.27 ~ 4.75	5.40 ~ 4.66	5.57 ~ 4.54	5.87 ~ 4.36	6.29 ~ 3.61
3	3.07 ~ 2.94	3.09 ~ 2.91	3.13 ~ 2.88	3.19 ~ 2.84	3.28 ~ 2.77	3.40 ~ 2.69
2	2.03 ~ 1.97	2.03 ~ 1.96	2.05 ~ 1.95	2.08 ~ 1.93	2.11 ~ 1.90	2.16 ~ 1.87
1.7	1.72 ~ 1.68	1.73 ~ 1.67	1.74 ~ 1.66	1.75 ~ 1.65	1.78 ~ 1.63	1.81 ~ 1.61

DEPTH OF FIELD TABLE (distances in feet)

UV Topcor F/4 100mm

1/30mm

Aperture \ Distance	4	5.6	8	11	16	22
∞	$\infty \sim 250.6$	$\infty \sim 179.2$	$\infty \sim 125.6$	$\infty \sim 91.5$	$\infty \sim 63.1$	$\infty \sim 46.1$
100	108.6~71.6	226.3~64.4	496.7~55.9	$\infty \sim 48.0$	$\infty \sim 38.9$	$\infty \sim 31.7$
50	62.3~41.8	69.2~39.2	82.8~35.9	110.1~32.5	246.3~28.1	$\infty \sim 24.2$
30	34.0~26.9	35.9~25.8	39.2~24.3	44.4~22.7	57.0~20.5	86.6~18.4
20	21.7~18.6	22.4~18.1	23.7~17.3	25.4~16.5	29.0~15.3	35.1~14.1
15	15.9~14.1	16.3~13.9	16.9~13.5	17.8~13.0	19.5~12.2	22.0~11.5
10	10.4~9.64	10.5~9.51	10.8~9.32	11.1~9.08	11.8~8.73	12.6~8.33
7	7.18~6.83	7.25~6.77	7.37~6.65	7.43~6.56	7.78~6.37	8.13~6.17
5	5.09~4.92	5.12~4.89	5.17~4.84	5.24~4.78	5.36~4.69	5.52~4.58

DEPTH OF FIELD TABLE (distances in meters)

UV Topcor F/4 100mm

1/30mm

Aperture Distance	4	5.6	8	11	16	22
∞	$\infty \sim 76.4$	$\infty \sim 54.6$	$\infty \sim 38.3$	$\infty \sim 27.9$	$\infty \sim 19.2$	$\infty \sim 14.1$
20.0	27.0~15.9	31.5~14.7	41.9~13.2	71.3~11.7	$\infty \sim 9.99$	$\infty \sim 8.31$
10.0	11.5~8.87	12.2~8.48	13.5~7.97	15.5~7.41	20.8~6.63	35.3~5.90
5.0	5.34~4.71	5.48~4.60	5.72~4.45	6.05~4.27	6.70~4.01	7.69~3.73
3.0	3.11~2.89	3.16~2.86	3.24~2.80	3.34~2.73	3.52~2.62	3.76~2.51
2.0	2.05~1.96	2.07~1.94	2.10~1.91	2.14~1.88	2.21~1.83	2.30~1.78
1.7	1.73~1.67	1.75~1.66	1.77~1.64	1.80~1.62	1.84~1.58	1.90~1.54
1.5	1.53~1.48	1.54~1.47	1.55~1.54	1.57~1.44	1.61~1.41	1.65~1.38

DEPTH OF FIELD TABLE (distances in feet)

UV Topcor F/3.5 35mm

1/30mm

Aperture \ Distance	3.5	4	5.6	8	11	16	22
∞	∞ ~ 37.5	∞ ~ 32.9	∞ ~ 23.6	∞ ~ 16.6	∞ ~ 12.1	∞ ~ 8.43	∞ ~ 6.21
20	42.5 ~ 13.2	50.7 ~ 12.5	133.6 ~ 19.9	∞ ~ 9.18	∞ ~ 7.66	∞ ~ 6.03	∞ ~ 4.83
10	13.5 ~ 7.97	14.2 ~ 7.84	17.1 ~ 7.12	24.8 ~ 6.35	57.2 ~ 5.60	∞ ~ 4.69	∞ ~ 3.94
7	8.51 ~ 5.96	8.78 ~ 5.84	9.78 ~ 5.48	11.8 ~ 5.02	16.1 ~ 4.55	41.7 ~ 3.94	∞ ~ 3.41
5	5.70 ~ 4.46	5.82 ~ 4.39	6.23 ~ 4.19	6.98 ~ 3.92	8.23 ~ 3.64	11.8 ~ 3.20	25.7 ~ 2.89
3	3.22 ~ 2.80	3.26 ~ 2.78	3.37 ~ 2.71	3.57 ~ 2.60	3.85 ~ 2.48	4.43 ~ 2.31	5.46 ~ 2.13
30"	31.8 ~ 28.5	32.0 ~ 28.2	32.9 ~ 27.6	34.4 ~ 26.7	36.4 ~ 25.7	40.5 ~ 24.2	47.0 ~ 22.6
24	25.0 ~ 23.1	25.2 ~ 22.9	25.7 ~ 22.5	26.6 ~ 22.0	27.7 ~ 21.3	29.9 ~ 20.3	33.0 ~ 19.2
18	18.5 ~ 17.5	18.6 ~ 17.4	18.9 ~ 17.2	19.3 ~ 16.9	19.8 ~ 16.6	20.8 ~ 16.0	22.1 ~ 15.4
15	15.3 ~ 14.7	15.4 ~ 14.6	15.5 ~ 14.5	15.8 ~ 14.3	16.1 ~ 14.1	16.7 ~ 13.7	17.5 ~ 13.3

DEPTH OF FIELD TABLE (distances in meters)

UV Topcor F/3.5 35mm

1/30mm

Aperture Distance	3.5	4	5.6	8	11	16	22
∞	$\infty \sim 11.4$	$\infty \sim 10.0$	$\infty \sim 7.18$	$\infty \sim 5.05$	$\infty \sim 3.70$	$\infty \sim 2.57$	$\infty \sim 1.89$
5.0	8.80~3.51	9.88~3.37	16.3~2.98	$\infty \sim 2.55$	$\infty \sim 2.16$	$\infty \sim 1.73$	$\infty \sim 1.40$
3.0	4.02~2.40	4.23~2.33	5.07~2.15	7.26~1.92	16.0~1.69	$\infty \sim 1.42$	$\infty \sim 1.20$
2.0	2.40~1.72	2.47~1.69	2.72~1.59	3.23~1.46	4.24~1.33	8.96~1.16	$\infty \sim 1.01$
1.5	1.71~1.34	1.74~1.32	1.86~1.26	2.08~1.18	2.44~1.10	3.47~0.98	7.21~0.87
1.2	1.32~1.10	1.34~1.09	1.41~1.05	1.53~0.99	1.72~0.93	2.15~0.85	3.14~0.77
1.0	1.08~0.93	1.10~0.92	1.14~0.89	1.21~0.85	1.32~0.81	1.56~0.75	2.00~0.69
0.8	0.85~0.76	0.86~0.75	0.88~0.73	0.93~0.71	0.98~0.68	1.10~0.64	1.30~0.59
0.6	0.63~0.58	0.63~0.57	0.64~0.56	0.66~0.55	0.69~0.53	0.74~0.51	0.82~0.48
0.4	0.41~0.39	0.41~0.39	0.42~0.39	0.42~0.38	0.43~0.37	0.45~0.36	0.47~0.35