

HP Designjet 4020 Printer series



High-speed HP Designjet to grow your business

Designed for non-stop printing at lower costs


- Double your print capacity and truly maximize productivity with HP Double Swath technology and 160 GB hard disk.
- Experience fast, simultaneous processing and printing thanks to in-printer processing, which also provides builtin HP-GL/2 and PDF support⁽¹⁾.
- Save time and money by producing ready-to-use prints this series creates CAD prints with 5mm margins, so there's no need for trimming.
- Count on this printer to perform unattended printing with reliable 775-ml black, 400-ml color Original HP ink cartridges.
- Achieve greater cost efficiency with free HP support, HP supplies that deliver a better value.

Provides great possibilities to grow your business

- Experience more possibilities to increase your personal productivity with HP Instant Printing Utility 2.0, HP embedded Web server and Serif PosterDesigner Pro for HP.
- Turn your printer into a print workflow management system with optional SCP Reprocontrol for HP¹². The SCP Reprocontrol for HP is powerful software that lets you flexibly automate, standardize, and manage color consistently within your workflow.
- Produce excellent lines and images with patented HP inks, printheads enabling 0.1% line accuracy⁽³⁾, and HP Professional Color technologies.
- Choose from a broad portfolio of over 35 Original HP media for high-quality results from CAD drawings and renders to presentations and posters.

Trusted integration in your IT environment

- Trusted connectivity and security-with built-in Gigabit Ethernet networking, advanced access control and optional HP Jetdirect support for secure IPsec and IPv6ⁿ.
 A Linux PS driver offers additional support for Linux usersⁿ.
- Manage your HP Designjet, fleet of devices, and your costs with HP Web Jetadmin and the embedded Web server.
- Experience true peace of mind with a printer you know you can trust—from a company with years of experience and expertise.



- (1 Available on the HP Designjet 4020ps Designjet Printer only. Support in English only.
- (2 SCP reprocontrol for HP is an optional feature. Not included, sold separately.
- (3 +/-0.1% of the specified vector length or +/-0.1 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on E/AO printing material in Best or Normal mode with HP Matte Film.
- (4 IPsec and IPv6 support requires the purchase of the HP Jetdirect 630n or HP Jetdirect 635n.
- (5 Serif PosterDesigner Pro for HP is an optional feature. Not included, sold separately.

For enterprise, public sector, and reprographic

100 A1/D prints per hour 775-ml black, 400-ml colo cartridges


160 GB hard disk Optional PostScript

SCP eprocontro for HP Embedded Web server

608 MB memory (up to 1120 MB)

HP Designjet 4020 Printer series

- 1. Ink cartridges of 225 and 400-ml for CMY; 400 and 775-ml for K.
- Accommodates media rolls up to 90 m (300 ft). It also has a manual sheet feed that supports sizes starting from A3 (B).
- **3.** Front panel with user friendly animations.
- Color consistency and screen-to-print matching with HP Professional Color technologies.
- Pairs of staggered printheads in the carriage mean the HP Designjet 4020 Printer series has double the print capacity of earlier models.
- 6. HP Embedded Web Server for driverless file submission, queue management, preview, supplies and printer status, and error notification.
- 7. HP Embedded Jetdirect Gigabit Ethernet print server (1000Base-T) + 2 FireWire (IEEE-1394a compliant) ports.
- **8.** EIO port for optional Jetdirect cards.
- Embedded processor for simultaneous printing and processing. 608 MB Memory (upgradeable to 1120 MB). 160 GB HDD.
- Equipped with a standard bin that holds 50 E/AO-size prints.





HP Designjet 4020 Printer series at a glance

HP Designjet 4020 Printer

- Up to 1067 mm (42 in) wide
- 2400 x 1200 dpi maximum resolution
- Rolls up to 90 m (300 ft) long
- Ink supplies of 225 and 400-ml for CMY; 400 and 775-ml for K
- Embedded processor and 608 MB Memory (upgradeable to 1120 MB). 160 GB HDD
- Support for HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4

Optional accessories

- HP Designjet 4520 Scanner
- HP Designjet 1067 mm (42 in) Roll Feed Spindle
- HP Designjet 512 MB Memory Upgrade
- HP Designjet High Speed USB 2.0 Card
- HP Jetdirect 630n IPv6 Gigabit Print Server
- HP Jetdirect 635n IPv6/IPsec Print Server
- Serif PosterDesigner Pro for HP
- SCP reprocontrol for HP

HP Designjet 4020ps Printer

All the features of the 4020 model, plus:

• Embedded RIP for Adobe® PostScript 3 and Adobe® PDF 1.5

Optional accessories

- HP Installation Service (1 unit)
- HP Network Installation Service (1 unit)
- HP Next Business Day Onsite Hardware Support, 3 years
- HP 4 hour response 9x5 Onsite Hardware Support, 3 years
- HP 4 hour response 13x5 Onsite Hardware Support onsite in 4 hours, 3 years
- HP Next Business Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 9x5 Same-Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 13x5 Onsite Hardware Support, 1 year post warranty

HP Designjet 4020 Printer series are ideal for quality, low-cost large-format drawings, graphics, maps, presentations, renders, and posters that you can print in batch¹⁵.

HP Double Swath Technology

Pairs of staggered printheads in the carriage double the print swath of the HP Designjet 4020 Printer series resulting in twice the performance of earlier Designjet models.*

The print swaths overlap each other with 24 nozzles. The nozzles printing in the same scan line (top and bottom printheads) are used together to eliminate swath-to-swath banding. With 1048 nozzles per color, this printer fires an impressive 36,000 drops per second per nozzle.

The printer has been designed to make automatic print mode adjustments if necessary, thus ensuring consistent image quality print after print. In order to maintain media advance accuracy at the increased printing speeds, improvements have been made to keep the media tension constant, regardless of the friction conditions.

Related technologies to HP Double Swath Technology, such as the new vacuum system with dual control and high-precision media advance, ensure fast print speeds without compromising on image quality and line accuracy.

HP Embedded Web Server


The HP Embedded Web Server enables remote printer management using an ordinary Web browser. Increase your productivity and cost efficiency:

- Preview jobs before printing
- Re-print stored jobs at the touch of a button
- Remotely reset your print job priorities at any time
- Submit multiple files for printing in one go
- View and save accounting information on printheads, ink, and media usage

HP Professional Color technologies

Get the right colors on the first print. No more trial and error. Get superior color consistency: print-to-screen color matching, print-to-print color consistency, and accurate application color palette reproduction. Get excellent grays: improved gray neutrality and more grayscale levels. The HP Designjet 4020 Printer series includes the latest HP Professional Color technologies:

- Enhanced sRGB printing and Adobe RGB
- Closed Loop Color (CLC)
- TIFF and JPEG with embedded ICC profiles
- Enhanced graphic features: PANTONE calibration¹, offset emulation, HP CMYK plus, and Black Point compensation





HP Designjet 4020 Printer series

rint speed	25 sec/page on A1/D%, 93 m²/hr (1000 ft²/hr)7, 100 A1/D prints per hour8
rinting	
Print resolution	Up to 2400 x 1200 optimized dpi
Margins (top x bottom x left right)	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in)
	Sheet: 11.5 x 25 x 5 x 5 mm (0.45 x 0.98 x 0.2 x 0.2 in)
Technology	HP Thermal Inkjet
Ink cartridge colors	Black, cyan, magenta, yellow
Ink types	Dye-based (cyan, magenta, yellow), pigment-based (black)
Ink drop	5 pl (cyan, magenta, yellow), 15 pl (black)
Line accuracy	+/- 0.1% ³
Line width	Minimum line width (HP-GL/2 addressable): 0.02 mm (0.0007 in)
	Guaranteed minimum line thickness (ISO/IEC 13660:2001(E))*: 0.07 mm (0.0027 in)
lemory	608 MB memory (upgradeable to 1120 MB), 160 GB hard disk
ledia	ood Wib Memory (opgradeable to 1120 Wib), 100 Ob Mara disk
Handling	Manual single-sheet feed, manual roll feed, automatic cutter
Types	Bond and coated paper, technical paper, film, photographic paper, proofing paper, self-
Thickness	adhesive, banner and sign material, fine art printing material
	Up to 0.4 mm (15.7 mil)
Weight	50 to 350 g/m² (0.11 to 0.77 lb)
Size	Sheets and rolls in sizes A3, A2, A1, A0 (B, C, D, E) and up to 1067 mm (42 in) wide
onnectivity	
Interfaces (standard)	1 Gigabit Ethernet (1000Base-T) port, 2 FireWire (IEEE-1394a compliant) ports, 1 EIO
	Jetdirect accessory slot
Interfaces (optional)	HP Jetdirect print servers
Drivers (included)	HP-GL/2, HP-RTL, PostScript ¹¹ drivers for Windows; HP PCL 3 GUI, PostScript ¹¹ drivers for
	Mac OS X; support for Citrix XenApp and Citrix XenServer environments
Print languages (standard)	HP Designjet 4020: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4
	HP Designjet 4020ps: Adobe® PostScript 3, Adobe® PDF 1.5, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G
upported operating systems	
	Windows Vista, Windows Server 2008, Windows XP, Windows Server 2003, Mac OS X v
	10.4 and 10.5, Linux ¹
limensions	
Printer	1930 x 800 x 1350 mm (76 x 31.5 x 53.2 in)
Shipping	2130 x 710 x 1215 mm (83.9 x 28 x 47.8 in)
Veight	
Printer	115 kg (253.5 lb)
Shipping	175.9 kg (387.8 lb)
Vhat's in the box	· · · · · · · · · · · · · · · · · · ·
	Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink
	cartridges, documentation and drivers CD, user maintenance kit, setup poster, Customer Service
	Guide, Serif PosterDesigner Pro poster, power cord

- Mechanical printing time. Line drawing printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.
 Color image (100% color coverage) printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.
 Multi-copy printing; total printing time. Line drawings printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.

Environmental ranges

Operating temperature	5 to 40° C (41 to 104° F)
Recommended operating temperature	15 to 30° C (59 to 86° F)
Storage temperature	-20 to 55° C (-4 to 131° F)
Operating humidity	20 to 80% RH

3 dB(A)
3 dB(A)
) B(A)
7 B(A)

Power consumption

Maximum	500 watts
Power requirements	Input voltage (auto ranging): 100 to 127 VAC (+/- 10%), 6 A; 220 to 240 VAC (+/- 10%), 3 A; 50/60 Hz (+/- 3 Hz)

Certification

Safety	USA and Canada (CSA certified), EU (LVD and EN60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYCE)
Environmental	EU & China RoHS, WEEE, REACH, EuP

Compliance for Class A ITE products: EU (EMC Directive), USA (FCC Rules), Canada (ICES), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC), Taiwan (BSMI)

Energy Star qualified models see: www.hp.com/go/energystar

Warranty

H4518F HP Network Installation UN412F HP 3y Next Business Day Onsite UN411E HP 4y Next Business Day Onsite UN406PE HP 1y Post Warranty Next Business Day Onsite

HP 3 year 4 hour 13X5

One-year limited hardware warranty

UN400PE HP 1 year Post Warranty 4 hour 13X5











ecohighlights

HP DESIGNJET 4020 PRINTER

- Save paper and avoid printing mistakes with HP Instant Printing
- Utility 2.0
 Less ink wasted thanks to efficient installation and maintenance routine.
- Free, convenient cartridge recycling
 Supports 100% recycled media



• ENERGY STAR® Qualified Product

1. In countries where the HP's Planet Partner Program operates

www.hp.com/ecosolutions



© 2004, 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Windows, Windows XP, and Windows Vista are U.S. registered trademarks of Microsoft Corporation. FireWire and the FireWire logo are trademarks of Apple Compute, Inc., registered in the U.S. and other countries. PANTONE and other Pantone, Inc. trademarks are the property of Pantone, Inc.



